



ITEM #1

SUBDIVISION COMMITTEE PRELIMINARY REPORT

DATE: October 15, 2025

TO: Orange County Subdivision Committee

FROM: OC Development Services / Land Development Division

SUBJECT: "B" Vesting Tentative Tract Map 19326 within Planning Area 3, Subarea 3.5, Ranch

Plan Planned Community

PROPOSAL: The applicant, Rancho Mission Viejo (RMV), requests approval of "B" Vesting

Tentative Tract Map 19326 (VTTM 19326) to subdivide an 8.15-acre site into 74 legal lots for Condominium purposes: 43 numbered lots for planned concept two-family (duplex) dwellings, 4 numbered lots for planned concept detached dwellings, 1 numbered lot for a tot lot, 5 lettered lots for landscaping, 8 lettered lots for slope/landscape areas, and 13 lettered lots for private streets and motor courts.

ZONING: Ranch Plan Planned Community

GENERAL

PLAN:

1B "Suburban Residential"

LOCATION: The project site is located in the southeastern portion of unincorporated Orange

County, within Subarea 3.5, Lots 40 through 44, and Lots AAA, BBB and CCC of Tract Map 17935 in the Ranch Plan Planned Community. The project site is located east of Ranch Canyon and north of Cow Camp Road, at the northwest corner of Lamkin Lane

and Scarlet Road, within the Fifth (5th) Supervisorial District.

OWNER/ SUBDIVIDER:

RMV PA3 Development, LLC (RMV)

It is noted that the current landownership is RMV, but the transfer of ownership to

Trumark Homes will begin upon recordation of the Final Tract Map.

APPLICANT: Rancho Mission Viejo

Richard Vuong, Project Director, Planning and Entitlement

STAFF Robert Zegarra, Contract Planner, Land Development Division

CONTACT: Phone: (714) 667-8893

Email: Robert.Zegarra@ocpw.ocgov.com

Subdivision Committee Draft Report – October 15, 2025 VTTM 19326 – RMV Subarea 3.5 Page 2 of 9

RECOMMENDED ACTION(S):

Land Development recommends that the Subdivision Committee:

- 1) Receive staff report and public testimony as appropriate.
- 2) Find that Final EIR 589, previously certified on November 8, 2004; Addendum 1.0 (PA060023) approved July 2006, Addendum 1.1 (PA110003-06) approved February 24, 2011, the Planning Area 2 Addendum (PA130001-06) approved March 27, 2013, and Addendum 3.1 (PA140072-81) approved February 25, 2015 reflect the independent judgment of the County and are adequate to satisfy the requirements of CEQA for approval of Vesting Tentative Tract Map (VTTM) 19326, which is a necessarily included element contemplated as part of the whole of the action considered in Final EIR 589, Addendum 1.0, Addendum 1.1, the Planning Area 2 Addendum, and Addendum 3.1.
 - a. The circumstances of the project are substantially the same as described in Final EIR 589, Addendum 1.0, Addendum 1.1, the Planning Area 2 Addendum, and Addendum 3.1, which adequately addressed the effects of the project proposed in VTTM 19326. No substantial changes have been made in the project that involve new significant environmental effects or a substantial increase in the severity of previously identified significant effects; no substantial changes have occurred in the circumstances under which the project is being undertaken, that involve new significant environmental effects or a substantial increase in the severity of previously identified environmental effects; and no new information of substantial importance to the project which was not known or could not have been known when Final EIR 589, Addendum 1.0, Addendum 1.1, the Planning Area 2 Addendum, and Addendum 3.1 were certified and approved has become known; therefore, no further environmental review is required.
 - b. Final EIR 589, Addendum 1.0, Addendum 1.1, the Planning Area 2 Addendum, and Addendum 3.1, are adequate to satisfy the requirements of CEQA for VTTM 19326.
 - c. All mitigation measures are fully enforceable pursuant to Public Resources Code section 21081.6(b) and have either been adopted as conditions, incorporated as part of the project design or included in the procedures of project implementation.
- 3) Approve VTTM 19326, subject to the attached Findings and Conditions of Approval (Appendices A to C).

NOTE: Per State Law, for any improvements required prior to the recordation of a final map, the developer may instead enter into an agreement with the County of Orange guaranteeing all required improvements. Said agreement shall be accompanied by financial security.

BACKGROUND AND EXISTING CONDITIONS:

In November 2004, the County of Orange approved the Ranch Plan Planned Community, which encompasses approximately 22,815 acres located east of I-5, north and south of Ortega Highway at Antonio Parkway/La Pata Avenue, within the Fifth Supervisorial District. As approved, the Ranch Plan Planned Community comprises 75 percent permanent open space and allows for the development of 14,000 dwelling units and 5,200,000 square feet (SF) of non-residential uses in the remaining 25 percent. It is regulated by the Ranch Plan PC Program Text which addresses the unique characteristics of the property and a development plan for the transition to suburban uses occurring over a 25- to 30-year period.

The Master Area Plan and Subarea Plans for Planning Areas 3 and 4 were originally approved on February 25, 2015, by the Planning Commission (PA140072-PA140081) and revised administratively on May 22, 2017 (PA150047). On September 11, 2019, the Planning Commission approved amendments and revisions

to the Master Area Plans and Subarea Plans for Planning Areas 3 and 4 (PA180030) which reflect the applicant's plan to develop Planning Area 3 in smaller phases. Administrative revisions to the Master Area Plan and Subarea Plans for Planning Areas 3 and 4 were approved in October 2022 (PA22-0067), October 2024 (PA24-0104) and most recently in May 2025 (MB24-0070), to adjust residential dwelling unit counts, non-residential square footage, and the locations of community facilities.

"A" Vesting Tentative Tract Map 17935 for Subarea Plan 3.5 was approved by the Subdivision Committee on October 16, 2024. Final Tract Map 17935 was subsequently approved by the County of Orange Board of Supervisors on August 26, 2025, and recorded by the County Clerk-Recorder on September 11, 2025. Subarea 3.5 is currently being graded under issued permit GRD24-0045 and the street and storm drain improvement plan (STP25-0005) is under review by the County.

Proposed Project


The applicant, Rancho Mission Viejo, is requesting approval of "B" Vesting Tentative Tract Map 19326 (VTTM 19326) to subdivide an 8.15-acre site into 74 legal lots for Condominium purposes: 43 numbered lots for planned concept two-family (duplex) dwellings, 4 numbered lots for planned concept detached dwellings, 1 numbered lot for a tot lot, 5 lettered lots for landscaping, 8 lettered lots for slope/landscape areas, and 13 lettered lots for private streets and motor courts. VTTM 19326 is one of seven "B" maps proposed for Planning Area 3, Subarea 3.5 of the Ranch Plan. The approval of the "A" Map (Final Map 17935) established the outer boundaries for these B Maps, which further subdivide the land into smaller lots for the construction of housing, open space, streets, and other supporting facilities. Additional details of the proposed "B" map (Exhibit 2) are provided in the Discussion/Analysis section.

SURROUNDING LAND USE:

Land uses immediately surrounding the project site include the following:

- North: Future Residential Tracts 19325
- South: Future Residential Tracts 19327
- East: Lamkin Lane/Future Residential Tract 19322
- West: Future Recreation Area/Ranch Canyon /Open Space

Please refer to the General Vicinity Map (Exhibit 1) and the Project Site Map (Exhibit B on the following page).






Exhibit 2 – Tentative Tract Map 19326

DISCUSSION/ANALYSIS:

General Description

The proposed "B" VTTM 19326 is a subdivision, for Condominium purposes, of an 8.15-acre site within Subarea 3.5 of the Ranch Plan Planned Community into 43 numbered lots for planned concept two-family (duplex) dwellings, 4 numbered lots for planned concept detached dwellings, 1 numbered lot for a tot lot, 5 lettered lots for landscaping, 8 lettered lots for slope/landscape areas, and 13 lettered lots for private streets and motor courts. Unit plan types and unit plotting for the tract map are being reviewed concurrently under Site Development Permit PA25-0057 for consistency with the Ranch Plan PC Program Text and Alternative Development Standard (ADS) D-14, which allows for the development of planned concept two-family (duplex) dwellings.

General access to the tract will be provided from Canyon Crest and Scarlet Road. The tract map has been designed to create individual lots for planned concept two-family (duplex) and detached dwellings oriented around a system of private streets and alleys throughout the tract. The private streets and motor courts provide direct access to the individual units and have been designated as Lots A through M. Lots N through R have been designated as usable project open space for the project.

Subdivision Committee Draft Report – October 15, 2025 VTTM 19326 – RMV Subarea 3.5 Page 5 of 9

Consistency Analysis:

Proposed "B" VTTM 19326 is consistent with:

- a. State Subdivision Map Act and County of Orange Subdivision Code and Manual.
- b. General Plan, Land Use Element: Suburban Residential. The proposed map is consistent with the Suburban Residential designation.
- c. Zoning: Planned Community. The proposed map is in conformance with the County of Orange Planned Community District regulations as regulated by the Ranch Plan Planned Community Text, statistical summary, and development maps.
- d. Area Plans: The proposed map is consistent with the PA3 Master Area Plan, Subarea Plan 3.5, and the PA3 & 4 Master Area and Subarea Plan Amendment and Addendum (PA180030). Additional administrative revisions affecting PA3 and Subareas were approved in 2022 (PA22-0067), 2024 (PA24-0104), and 2025 (PA24-0181 & MB24-0070).
- e. CEQA: The proposed map is consistent with Program EIR 589, which was certified on November 8, 2004; Addendum 1.0, approved on July 26, 2006; Addendum 1.1, approved on February 24, 2011; the Planning Area 2 Addendum, approved on March 27, 2013; and Addendum 3.1 approved on February 25, 2015.
- f. Alternative Development Standards: All previously approved Alternative Development Standards that are to be incorporated into the development of Subarea 3.5 are listed within the Note #30 on Sheet 1 of the proposed VTTM 19326.
- g. Regulation Compliance Matrix: Clearance of all applicable conditions of approval have been confirmed per the Ranch Plan Regulation Compliance Matrix.

Estimated Earthwork

The proposed estimated grading quantities for this map are substantially consistent with or less than the earthwork quantities described under previous approvals (i.e., Master Area Plan (PA3), Subarea Plan 3.5, Tract 17935, and related grading permit (GRD22-0016 and GRD24-0045). The proposed grading on this map has been addressed per CEQA document FEIR 589, together with Addendum 3.1.

Drainage:

The subject property is in the Ranch Plan Planned Community Runoff Management Plan (ROMP) Area. A Master Plan of Drainage (MPD) consistent with Amendment 2 of the PA 3 and 4 ROMP has been established for the project site (Subarea 3.5). VTTM 19326 is located in Subarea 3.5 and is consistent with this MPD, however no MPD fees are required.

Recreation and Open Space:

The proposed map is not required to provide any improvements or dedications associated with the County Master Plan of Regional Recreation Facilities; Master Plan of Regional Riding and Hiking Trails; Resources Element (Open Space Component); or OCTA Strategic Plan for Bikeways.

- Master Plan of Regional Recreation Facilities There are no regional park dedication requirements of the subject map.
- Master Plan of Regional Riding and Hiking Trails There are no riding and hiking trail requirements of the subject map.

Subdivision Committee Draft Report – October 15, 2025 VTTM 19326 – RMV Subarea 3.5 Page 6 of 9

• Master Plan of Local Parks (Local Park Code) - The proposed map is required to provide park land in accordance with the Master Plan of Local Parks (Local Park Code) per the parkland generation factor for each unit (greater than 6.5 du/ac requires 0.006 acres and less than 6.5 du/ac requires 0.008 acres). The Local Park Code requirement for the subject map VTTM 19326 is 0.54 net usable acres of park land based upon a proposal to build 90 dwelling units at a gross residential density of 11.04 du/ac (90 du/8.15 ac). Said requirement can be satisfied by an allocation of parkland credit from Park Modification PM07-01, the Local Park Implementation Plan (LPIP) for the Ranch Plan P.C. originally approved March 14, 2007, 1st Amendment approved in June 2012, 2nd Amendment approved on July 16, 2014, 3rd Amendment approved November 7, 2019, 4th Amendment approved September 17, 2025.

Per the Ranch Plan LPIP, the total parkland acreage requirement for the entire Ranch Plan Planned Community is 94.0 acres, based on 14,000 approved dwelling units and the anticipated proportion of single-family and multi-family units. Of the 94 acres required, 81.6 acres of creditable public parkland are anticipated in Planning Areas 3 and 4. For Subarea 3.5, the Ranch Plan LPIP does not indicate any requirements for public or private parkland. Therefore, there are no parkland dedication requirements applicable to VTTM 19326.

- Resources Element Open Space Component There are no open space dedication requirements applicable to the subject map.
- OCTA Strategic Plan for Bikeways There are no County-wide bikeways identified within the area
 of this map.

Public Services & Utilities

- Schools This property is within the boundaries of the Capistrano Unified School District. The developer is subject to the provisions of Assembly Bill AB 2926 or other mitigating measures designed to provide for school facilities and/or funding, such as community facilities districts, as outlined by Mitigation Measure 4.15-5 of FEIR 589.
- Facilities Fees Programs This project area is included within the Ranch Plan Planned Community
 Development Agreement DA04-01 which phases development commensurate with public services
 and facilities.
- Water/Sewer This project is within the boundaries of the Santa Margarita Water District (SMWD).
 The SMWD stated in their Preliminary Water Sewer Letter, dated August 7, 2025, that SMWD will be capable of providing water and sewage disposal service to this development.
- Water Quality Control This project will be required to operate in accordance with requirements prescribed by the California Regional Water Quality Control Board, San Diego Region, as outlined by Standard Conditions 4.5-3 thru 4.5-11 of FEIR 589.
- Fire Protection and Safety Existing and proposed fire protection services will be providing an
 adequate level of fire protection services to this development. Additionally, this property is within
 the area covered by the approved Ranch Plan Fire Protection Program, which includes all
 applicable conditions of approval and regulations. A Fire Master Plan has been prepared for VTTM
 19326, which has been reviewed and approved by the Orange County Fire Authority on
 September 10, 2025.
- County Service Area (CSA) This property is within the boundaries of County Service Area No. 26.

Traffic/Circulation

• Scenic Highway Corridors - There are no Scenic Highways applicable to this map.

Subdivision Committee Draft Report – October 15, 2025 VTTM 19326 – RMV Subarea 3.5 Page 7 of 9

- Access/Highways/Streets/Roads Access to the site is via Canyon Crest and Scarlet Road, proposed
 public streets. Internal tract access will be provided by a system of private streets and motor
 courts.
- Major Thoroughfare and Bridge Fee Program This project lies within the area of benefit of the Foothill/Eastern Transportation Corridor. The developer is required to pay Foothill/Eastern Major Thoroughfare and Bridge fees in accordance with the adopted program.
- Off-Site Fee Program The project lies within the area of benefit of the South County Roadway Improvement Road Fee Program (SCRIP). The developer is required to pay SCRIP fees in accordance with the adopted program.
- To ensure that necessary ingress and egress easements are provided and maintained along the proposed streets and motor courts with the Final Map, Condition of Approval #7 requires the developer to demonstrate on the Final Map, subject to the satisfaction of the Land Development Manager, that improvements will not be constructed within the ingress and egress easements, which could interfere with the use and/or maintenance of the easement.

Fire Master Plan

The applicant has provided a copy of the Orange County Fire Authority (OCFA) Fire Master Plan, Service Request number 25004287, approved on September 10, 2025. OCFA has reviewed the proposed project and has concurred with the proposal. OCFA and Land Development will continue to coordinate necessary plan check reviews during the permitting and construction process to ensure VTTM 19326 is established in compliance with associated fire safety and fire protection requirements.

Multiple Final Map Phasing

As indicated on the Map under Note #19 of the title sheet VTTM 19326, the option of multiple final maps phasing has been requested as part of the approval of this Vesting Tentative Tract Map.

ALTERNATIVE DEVELOPMENT STANDARDS:

As allowed by General Regulation #25 of the Ranch Plan Planned Community Program Text, proposed Alternative Development Standards are intended to be incorporated into the development as listed within the "Notes" portion of the cover page of VTTM 19326. The following approved Ranch PC Alternative Development Standards (approved May 22, 2024) are proposed as part of VTTM 19326:

- A-11 Curb Returns at Each Residential Driveway
- A-36a Modified 0" Curb on Private Streets
- B-9 Modified Color of Curb Ramp Detectable Warning Surface
- D-8 Planned Concept Residential Lots Greater Than 3,000 SF
- D-9 Planned Concept Detached Dwellings Parking (Bedroom Count)
- D-11 Residential Guest Parking
- D-14 Two Family Residences (Duplex)
- G-7 Reduced Local Depression on Private Streets
- G-9 Rolled Curb on Private Streets
- G-10 Grated Inlets Catch Basins with Rolled Curb on Private Streets
- G-10 Reduced Local Depression with Rolled Curb on Private Streets

Subdivision Committee Draft Report – October 15, 2025 VTTM 19326 – RMV Subarea 3.5 Page 8 of 9

REFERRAL FOR COMMENT AND PUBLIC NOTICE:

Copies of the vesting tentative tract map submittal package were distributed for review and comment to County staff and consultants, including Land Development, Traffic Engineering, Development Support, Survey, Operations & Maintenance, Building & Safety and the Orange County Fire Authority. Through a collaborative effort with County staff, the applicant adequately addressed all comments. As of the writing of this staff report, no further comments have been received from any County divisions.

A Notice of Public Hearing was mailed to all property owners of record within 300 feet of the subject site on October 3, 2025. Additionally, notices were posted at the project site, at the County Administrations North (CAN) Building, on the Orange County Public Works website and in the local newspaper "OC Reporter," as required by established public hearing posting procedures. No public comments have been received to date.

CEQA COMPLIANCE:

The proposed project is covered by previous CEQA documentation, which includes Final Program EIR 589, certified on November 8, 2004; Addendum 1.0, approved on July 26, 2006; Addendum 1.1, approved on February 24, 2011; the Planning Area 2 Addendum, approved on March 27, 2013; and Addendum 3.1, approved on February 25, 2015. This finding is appropriate and complies with the intent of CEQA, pursuant to the Orange County 2020 Local CEQA Procedures Manual, Section 13.1 for projects where a previous environmental document (i.e., Program EIR 589) is already in place. Further CEQA evaluation and clearances are not required for the proposed VTTM 19326.

CONCLUSION:

Based on the review of the subject submittal, staff supports approval of the applicant's proposed "B" Vesting Tentative Tract Map 19326 (VTTM 19326) pursuant to the Orange County Subdivision Code, Orange County Codified Ordinances (OCCO) Subarticle 5 (Processing Procedures for Tentative Maps).

Submitted by:

Signed by:

Robert Zegarra, Cöntract Planner

Land Development

Concurred by,

Signed by:

Bu Bu Jiménuy

Bea Bea Jiménez, Division Manager

Land Development

Land Development

CERTIFICATION:

I hereby certify that the Tentative Tract Map 19326 was approved by the Orange County Subdivision Committee on October 15, 2025, per the findings in Appendix A and the conditions in Appendix B.

Lily Sandberg, Subdivision Committee Chairperson

Subdivision Committee Draft Report – October 15, 2025 VTTM 19326 – RMV Subarea 3.5 Page 9 of 9

APPENDICES:

- A. Recommended Findings
- B. Recommended Conditions of Approval
- C. Ranch Plan Regulation Compliance Matrix "B" Map Items

ATTACHMENTS:

- 1. Applicant's Letter of Proposal
- 2. Will Serve Letter
- 3. Project Plans and Fire Master Plan

APPEAL PROCEDURE:

Any interested person may appeal the decision of the Subdivision Committee on this application to the Orange County Planning Commission within 10 calendar days of the decision upon submittal of required documents and a filing fee of \$500.00 filed at the Development Processing Center, 601 N. Ross St., Santa Ana. If you challenge the action taken on this proposal in court, you may be limited to raising only those issues you or someone else raised in written correspondence delivered to OC Development Services.

APPENDIX A



Appendix A Findings VTTM 19326

1 EIR AND ADDENDUM VTTM 19326 (Custom)

That the decision-maker has considered Final EIR 589, previously certified on November 8, 2004; Addendum 1.0 (PA060023) approved July 2006; Addendum 1.1 (PA110002-PA110006) approved February 24, 2011; the Planning Area 2 Addendum (PA130001-PA130004 and PA130006) approved on March 27, 2013; Addendum 3.1 (PA140072-81) approved February 25, 2015; and the Planning Area 3 & 4 Amendment and Addendum (PA180030) approved September 11, 2019 prior to project approval. The addendums are approved for the proposed project based upon the following findings:

- a. Together, these documents are adequate to satisfy the requirements of CEQA by the decision-maker;
- b. The additions, clarifications and/or changes to the original document caused by the Addendums, do not raise new significant issues which were not addressed by the EIR and none of the conditions described in CEQA Guidelines Section 15162 applies; and
- c. The consideration of the EIR and approval of the Addendums for the proposed project reflect the independent judgment of the Lead Agency.

2 ENVIRONMENTAL MONITORING VTTM 19326 (Custom)

That the monitoring requirements of Public Resources Code Section 21081.6 (AB 3180) will be considered as having been met in that the design of the subject project, the satisfaction of the requirements of the County's building, grading, fire, and other codes and ordinances and the satisfaction of the conditions of approval applied to the project will implement the mitigation measures contained in EIR No. 589, Addendum 1 (PA06-0023), Addendum 1.1 (PA110003-0006), the Planning Area 2 Addendum (PA130001-0004 and PA130006), Addendum 3.1 (PA140072-81), and the Planning Area 3 & 4 Amendment and Addendum (PA180030).

3 GENERAL PLAN CONSISTENCY VTTM 19326

That the proposed map is consistent with the Orange County General Plan.

4 DESIGN & IMPROVEMENT VTTM 19326

That the design and improvement of the proposed subdivision are consistent with the Orange County General Plan.

5 DEVELOPMENT TYPE VTTM 19326

That the proposed site is physically suitable for the proposed type of development.

6 DEVELOPMENT DENSITY VTTM 19326

That the proposed site is physically suitable for the proposed density of development.

7 ENVIRONMENTAL DAMAGE VTTM 19326

That the design of the subdivision or the proposed improvements are not likely to cause substantial environmental damage or substantial and avoidable injury to fish or wildlife or their habitat.

8 PUBLIC HEALTH VTTM 19326

That the design of the subdivision and the type of improvements proposed are not likely to cause serious public health problems.

9 PUBLIC EASEMENTS VTTM 19326

That the design of the subdivision and the type of improvements proposed will not conflict with easements of record or established by court judgment acquired by the public-at-large for access through or use of property within the proposed subdivision.

10 SUBDIVISION / ZONING CODE CONSISTENCY VTTM 19326

That the proposed subdivision complies with the requirements set forth in the Orange County Subdivision Code and the Orange County Zoning Code.

11 ZONING CONSISTENCY VTTM 19326

That the design and improvement of the proposed subdivision are suitable for the uses proposed, and the subdivision can be developed in compliance with applicable zoning regulations pursuant to Section 7-9-254 of the Subdivision Code.

12 SEWER SYSTEM VTTM 19326 (Custom)

That the discharge of waste from the proposed subdivision into the existing sewer system of the Water District will not result in violations of existing requirements prescribed by the California Regional Water Quality Control Board, San Diego Region.

13 NATURAL HEATING AND COOLING VTTM 19326

That the design of the subdivision and its improvements do provide, to the extent feasible, for future passive or natural heating or cooling opportunities as specified in Section 66473.1 of the Government Code (Subdivision Map Act).

FEE PROGRAMS VTTM 19326

That the following determinations apply to fees required by Sections 7-9-700 through 713, Codified Ordinances of Orange County:

- A. Purpose of fees: Fire protection, paramedic, law enforcement, library, and general County services.
- B. Use of fees: Construction of new fire station, sheriff substation, library, and general County facilities in newly developing areas which have inadequate service.
- C. Relationship between use of fees and type of development: Dwelling units and commercial/industrial structures and their occupants require fire protection, paramedic, law enforcement, library, and general County services.
- D. Relationship between need for facilities and type of project: Project is located in newly developing area which has inadequate fire protection, paramedic, library services, and sheriff substation and general County facilities.
- E. Relationship between amount of fees and cost of the portion of the facilities attributable to the development: Fees represent project's pro rata share of the cost of the fire station, sheriff substation, library, and general County facilities.

15 EXPIRATION OF MAPS VTTM 19326

That because of participation in fee programs for off-site improvements, this project will qualify for consideration under Section 66452.6 of the Subdivision Map Act.

16 LOCAL PARK CODE VTTM 19326 (Custom)

That the Local Park Code requirement can be met by an allocation of park lands credit from PM 07-01, the park implementation plan for the Ranch Plan Planned Community.

17 **DEVELOPMENT AGREEMENT VTTM 19326**

That the Development Agreement contains provisions requiring developer participation in fee programs, facility construction and development phasing and is therefore in compliance with the adopted Growth Management Element in terms of public services and facilities being made available to accommodate development.

18 APPEAL OF EXACTIONS VTTM 19326

That the applicant is hereby provided notice that the fees, dedications, reservations or other exactions imposed on this project are as described in this approval as well as the reports and actions accompanying this approval and that the 90-day approval period in which the applicant may protest pursuant to Government Code Section 66020 has begun.

APPENDIX B



Appendix B Conditions of Approval

VTTM 19326

RANCH PLAN REGULATION COMPLIANCE MATRIX VTTM 19326 (Custom) The applicant shall comply with all applicable requirements of the Ranch Plan Regulation Compliance Matrix: to the satisfaction of the appropriate decision maker listed in each applicable Regulation Compliance Matrix item. The applicable requirements are listed below and attached as Appendix C. a. Prior to Recordation: 139: EIR 589 Mitigation Measure 4.9-27 - Invasive Plants CC&R Prohibition 524: EIR 589 Stand. Cond. 4.4-3 (G04) - Off-site Letter of Consent (if necessary) 527 & 527.1: EIR 589 Standard Condition 4.5-1 (D01a) - Drainage Study 528 & 528.1: EIR 589 Standard Condition 4.5-2 (D02a) - Drainage Improvements 529: EIR 589 Standard Condition 4.5-2 (D02a) – Drainage Improvements 532: EIR 589 Standard Condition 4.5-4 (D04b) – Master Plan of Drainage 533: EIR 589 Standard Condition 4.5-5 (D06b) - Subordination of Easements 534: EIR 589 Standard Condition 4.5-5 (D06b) – SMWD Easements

538: EIR 589 St. Cond. 4.5-8 (WQ03) – Water Quality Management Plan (WQMP) 544: EIR 589 Standard Condition 4.6-2 (T01) – Vehicular Access Rights

545: EIR 589 Standard Condition 4.6-3 (T02) - Private Street Improvements

546: 546.1: 546.2 & 546.3: SC 4.6-4: (T04) - Street Improvements 549: EIR 589 Standard Condition 4.6-7 (T08) - Traffic Signal Conduit

550, 550.1, 550.2 & 550.3: EIR 589 Stand. Cond. 4.6-8 (T12) - Internal Circulation

551: EIR 589 Standard Condition 4.6-9 (T13b) - Traffic Signal Maintenance Easement

535: EIR 589 Standard Condition 4.5-6 (D07b) – Regional Facility Improvements 537 & 537.1: EIR 589 St. Cond. 4.5-8 (WQ01) – Water Quality Management Plan (WQMP)

552: EIR 589 Standard Condition 4.6-10 (T14b) - Traffic Signal Installation

559 & 559.1: EIR 589 Standard Condition 4.8-3 (N01) - Sound Attenuation 589.1: EIR 589 Standard Condition 4.15-1 - Water Improvement Plans

597: EIR 589 Standard Condition 4.15-9 - Capistrano Unified School District fees

619: Ranch Plan Fire Prot. Program Cond. 4 - OCFA Administrative Approval

b. Prior to Approval of Site Development Permit

109: EIR 589 Mitigation Measure 4.7-3 – Shade Trees in Parking Lot Design 110: EIR 589 Mitigation Measure 4.7-3 - Use of Light-Colored Roof Materials

c. Prior to Issuance of Grading Permits

521: EIR 589 Standard Condition 4.4-1 (G01) - Geotechnical report

522: EIR 589 Standard Condition 4.4-2 (G02) - Conformance with TT Map

523: EIR 589 Standard Condition 4.4-2 (G02) - Revised TT Map (if necessary)

524: EIR 589 Stand. Cond. 4.4-3 (G04) - Off-site Letter of Consent (if necessary)

525: EIR 589 Standard Condition 4.4-4 (G09) - Consistency with Planning Approval

527 & 527.1: EIR 589 Standard Condition 4.5-1 (D01a) - Drainage Study

528 & 528.1: EIR 589 Standard Condition 4.5-2 (D02a) - Drainage Improvements

530 & 530.1: EIR 589 Standard Condition 4.5-3 (D02b) - Drainage Improvements

537 & 537.1: EIR 589 St. Cond. 4.5-8 (WQ01) – Water Quality Management Plan (WQMP) 538: EIR 589 St. Cond. 4.5-8 (WQ03) – Water Quality Management Plan (WQMP)

540: EIR 589 St. Cond. 4.5-10 (WQ04) - Stormwater Pollution Prevention (SWPPP)

541: EIR 589 St. Cond. 4.5-11 (WQ05) – Erosion and Sediment Control Plan

548: EIR 589 Standard Condition 4.6-6 (T07) - Sight Distance

555, 555.1 through 555.5: EIR 589 Standard Condition 4.7-1 – Fugitive Dust

556, 556.1, 556.2 & 556.3: EIR 589 Standard Condition 4.7-2 - Emission Control

557: EIR 589 Standard Condition 4.8-1 (N10) - Hours of Construction

558, 558.1, 558.2, 558.3 & 558.4: EIR 589 St. Condition. 4.8-2 (N10) - Construction Noise

559 & 559.1: EIR 589 Standard Condition 4.8-3 (N01) - Sound Attenuation

567: EIR 589 Standard Condition 4.10-2 (LA02b) - Private Area Landscaping

571: EIR 589 Standard Condition 4.11-1 (A04) - Archaeology Grading Observation and Salvage

574: EIR 589 Standard Condition 4.11-2 (A07) - Paleontology Resource Surveillance

589: EIR 589 Standard Condition 4.14-2 - Hazardous Materials

616: Ranch Plan Fire Prot. Program Cond. 3.d. - Precise Fuel Modification Plan

d. Prior to Precise Fuel Modification Plans:

138: EIR 589 Mitigation Measure 4.9-27 - Invasive Plants and Fuel Modification

e. Prior to Issuance of Building Permit:

111: EIR 589 Mitigation Measure 4.7-3 - Use of Light-Colored Roof Materials

140: EIR 589 Mitigation Measure 4.9-28 – Open Space habitat, light shields

206: EIR 589 Mitigation Measure 4.15-5 - Capistrano Unified School District fees

526: EIR 589 Standard Condition 4.4-5 - Compliance with Code

537 & 537.1: EIR 589 St. Cond. 4.5-8 (WQ01) - Water Quality Management Plan (WQMP)

538: EIR 589 St. Cond. 4.5-8 (WQ03) - Water Quality Management Plan (WQMP)

540: EIR 589 St. Cond. 4.5-10 (WQ04) - Stormwater Pollution Prevention (SWPPP)

541: EIR 589 St. Cond. 4.5-11 (WQ05) - Erosion and Sediment Control Plan

547: EIR 589 Standard Condition 4.6-5 (T05) - Major Thoroughfare & Bridge Fees

550, 550.1, 550.2 & 550.4: EIR 589 Standard Condition 4.6-8 (T12) - Internal Circulation 559.2 & 559.3: EIR 589 Standard Condition 4.8-3 (N01) - Sound Attenuation

564 & 564.1: EIR 589 Standard Condition 4.10-1 (LA01b) - Public Area Landscaping

570: EIR 589 Standard Condition 4.10-3 (LG01) - Light and Glare

589: EIR 589 Standard Condition 4.14-2 - Hazardous Materials

617: Ranch Plan Fire Prot. Program Cond. 3.e. - Vegetation Clearance

f. Prior to Combustible Construction:

609: Ranch Plan Fire Prot. Program Cond. 2.d. - Emergency Access & Water Supply

g. During Construction:

197: EIR 589 Mitigation Measure 4.14-13 – ESA Remedial Measures

h. Prior to Certificates of Occupancy:

529: EIR 589 Standard Condition 4.5-2 (D02a) - Drainage Improvements

531: EIR 589 Standard Condition 4.5-3 (D02b) - Drainage Improvements

539, 539.1 & 539.2: EIR 589 Standard Condition 4.5-9 (WQ03) - Compliance with Water Quality Management Plan (WQMP)

563: EIR 589 Standard Condition 4.8-7 (N12) – Transportation Corridor Notification

565 & 566: EIR 589 Standard Condition 4.10-1 (LA01b) - Public Area Landscaping

568 & 569: EIR 589 Standard Condition 4.10-2 (LA02b) – Private Area Landscaping

618: Ranch Plan Fire Prot. Program Cond. 3.f. - Fuel Modification Zones

i. Prior to Release of Grading Bond:

572 & 573: EIR 589 Standard Condition 4.11-1 (A04) – Archaeology Grading Observation and Salvage 575 & 576: EIR 589 Standard Condition 4.11-2 (A07) – Paleontology Resource Surveillance

WATER QUALITY MANAGEMENT PLAN VTTM 19326

Prior to the issuance of any grading or building permits, the applicant shall submit for review and approval by the Manager, Permit Services, a Water Quality Management Plan (WQMP) specifically identifying Best Management Practices (BMPs) that will be used onsite to control predictable pollutant runoff. The applicant shall utilize the Orange County Drainage Area Management Plan (DAMP), Model WQMP, and Technical Guidance Manual for reference, and the County's WQMP template for submittal. This WQMP shall include the following:

- Detailed site and project description
- Potential stormwater pollutants
- Post-development drainage characteristics
- Low Impact Development (LID) BMP selection and analysis
- Structural and Non-Structural source control BMPs
- Site design and drainage plan (BMP Exhibit)
- GIS coordinates for all LID and Treatment Control BMPs
- Operation and Maintenance (O&M) Plan that (1) describes the long-term operation and maintenance requirements for BMPs identified in the BMP Exhibit; (2) identifies the entity that will be responsible for long-term operation and maintenance of the referenced BMPs; and (3) describes the mechanism for funding the long-term operation and maintenance of the referenced BMPs

The BMP Exhibit from the approved WQMP shall be included as a sheet in all plan sets submitted for plan check and all BMPs shall be depicted on these plans. Grading and building plans must be consistent with the approved BMP exhibit.

BEST MANAGEMENT PRACTICES 3 VTTM 19326 (Custom)

Prior to issuance of a building permit, the off-site regional Best Management Practices (BMPs) relied upon by this project (e.g., basins, swales, etc.) must be built and/or installed, and operational. The location and operation of these regional BMPs must be in compliance with the Final Project-Specific WQMP for the regional BMP(s). The location and operation of the regional BMP(s) must be demonstrated to the satisfaction of the Manager, Grading and Building Plan Check.

COMPLIANCE WITH THE NPDES IMPLEMENTATION VTTM 19326 PROGRAM

Prior to the issuance of a certificate of use and occupancy, the applicant shall demonstrate compliance with the County's NPDES Implementation Program in a manner meeting the satisfaction of the Manager, OC Inspection, including:

- Demonstrate that all structural Best Management Practices (BMPs) described in the BMP Exhibit from the project's approved WQMP have been implemented, constructed and installed in conformance with approved plans and specifications
- Demonstrate that the applicant has complied with all non-structural BMPs described in the project's WQMP
- Submit for review and approval an Operations and Maintenance (O&M) Plan for all structural BMPs (the O&M Plan shall become an attachment to the WQMP.
- Demonstrate that copies of the project's approved WQMP (with attached O&M Plan) are available for each of the initial occupants.
- Agree to pay for a Special Investigation from the County of Orange for a date twelve (12) months after the issuance of a Certificate of Use and Occupancy for the project to verify compliance with the approved WQMP and O&M Plan
- Demonstrate that the applicant has RECORDED one of the following:
- 1. The CC&R's (that must include the approved WQMP and O&M Plan) for the project's Homeowner's Association.
- 2. A water quality implementation agreement that has the approved WQMP and O&M Plan attached; or
- 3. The final approved Water Quality Management Plan (WQMP) and Operations and Maintenance (O&M) Plan.

(Appendix C - Items 539, 539.1, 539.2)

5 INDEMNIFICATION **VTTM 19326 (Custom)**

Applicant shall defend with counsel approved by the County of Orange in writing, indemnify and hold harmless the County of Orange, its officers, agents and employees from any claim, action or proceeding against the County, its officers, agents or employees to attack, set aside, void, or annul any approval of the application or related decision, or the adoption of any environmental documents, findings or other environmental determination, by the County of Orange, its Board of Supervisors, Planning Commission, Zoning Administrator, Director of OC Public Works, or Director of Planning concerning this application. The County may, at its sole discretion, participate in the defense of any action, but such participation shall not relieve applicant of his/her obligations under this condition. Applicant shall reimburse the County for any court costs and attorney's fees that the County may be required to pay as a result of such action. The County shall promptly notify the applicant of any such claim, action or proceeding.

BUYER NOTIFICATION MAP VTTM 19326 (Custom)

Prior to the issuance of any building permits for residential construction, the developer RMV Community Development, LLC, shall prepare a map denoting the existing and proposed land uses, arterial highways, and public facilities within the surrounding area for the approval of the Manager, OC Planning. The map content, display, and distribution shall be in accordance with the Buyer Notification Program guidelines listed in Board of Supervisors Resolution 82-1368 and as amended.

7 **MANEUVERABILITY EASEMENT** VTTM 19305 (Custom)

Prior to recordation of the final tract map, the subdivider shall demonstrate that all necessary ingress/egress easements for vehicle maneuverability within motor courts/alleyways are identified on the final map subject to the satisfaction of the Manager, Land Development. The easement shall prohibit property owners from installing any improvements within the easement area or interfering with the use or maintenance of the easement.

APPENDIX C

Appendix C

RANCH PLAN REGULATION COMPLIANCE MATRIX GUIDANCE DOCUMENT

Docusign Envelope ID: 49D8B701-2534-44BF-B7F2-440C269D55A0

noitsoilqqA sөтА	Each PA	Each PA
Guidance for Compliance	To be cleared for entire Planned Community, upon providing RMV. CG&R summary letter [Hyperlink #13] stating CC&Rs contain language prohibiting the planting of plants on most current California Invasive Plant Invention. (www.cal-ipo.org) in private landscape areas. Only apples to recordation of tract maps that include lots located immediately adjecent to RMV Open Space	
Form of Compliance	Provide letter stating that CC&Rs contain language prohibiting the planting of planting of planting of current California invasive Plant Inventory	Recordation of a a letter of consent from affected property owners if determined necessary by County of Orange Director of Planning & Development Services
Reviewing / Approving Authority (Advisory Agency in Parentheses)	Director, DDS Director, OC Planning	Geunty of Orange Director of Planning & Development Services. Director, OC Planning
Requirements or Entitlement Provisions	b. Prior to the recordation of a map for a tract adjacent to the RMV Open Space, the County of Orange shall early that the CC&Rs contain language prohibing the planning of plants identified by the California Exotic Pest Plant Council as an masive risk in Southern California in private landscaped areas.	Prior to the recordation of a subdivision map Geunty of Orange Recordation of permit, whichever comes first, and if permit, whichever comes first, and if Pleaning & Brandag & a letter of Development affected property of Papilican Shall lecord a letter of consent Director, OC owners if from the applicant shall lecord a letter of consent Director, OC owners if from the affected property owners between the affected property owners between the affected property owners of the tenter of consent from the Manager, Subdivision and Grading Services before recordation of the letter. (County Standard Condition GO4)
Title	Invasive Plants I	Geology and Soils (cont.):
Keywords	CC&Rs, California Exotic Pest Plant Council	
Subject	Resources	Geology and Soils (cort.):
Timing	Prior to the recordation of a map for tract adjacent to the RMV Open Space	Prior to the recordation of a subdivision map or prior to issuance of a Carading Permit, whichever comes first
Condition, Mitigation, Public Benefit or Entitlement Provision	EIR 589 MM 4.9-27 Prior to the (cont.) map for trac adjacent to tank V Open Space	SC 4.4-3
Source	EIR 589	EIR 589
Cross Reference Column	137-138 (EIR 589, MM 4.9-27)	
Item No.	139	524

(Ľ)
	>	ć
١	ŧ	5
	š	ĺ
	q	٥
	۶	2
	ì	Ź
•	٦	١

Area Application	Each PA	Each PA	Each PA	Each
Guidance for Compliance				
Form of Compliance	Submittal of satisfactory of drainage study	See above	Approval of storm drain drainage plans and offer(s) of dedication, if necessary	See above
Reviewing / Approving Authority (Advisory Agency in Parentheses)	County of Orenge Director of Planning & Development Services, Director, OC Planning	See above	County of Orange Approval of Director of tom drain Planning by Services. Director, OC necessary Planning	See above
Requirements or Entitlement Provisions	Drainage Study: Prior to the recordation of a subdivision map Geunty of Orange-Study: (except maps for financing and conveyance Dieteder of Planning 4 drainage study) or prior to the issuance of Planning 4 drainage study any grading permits, whichever comes first. Bovelepment the following drainage studies shall be submitted to and approved by the Manager, Director, OC Subdivision and Grading: (County Planning)	A. A drainage study of the project including Gee above diversions, of fisite areas that drain onto and/or through the project, and justification of any diversions; and any diversions; and B. When applicable, a drainage study evidencing that proposed drainage patterns will not overload existing storm drains; and C. Detailed drainage studies indicating how the project grading, in conjunction with the drainage swales, channels, street flows, applicable swales, channels, street flows, catch basins, storm drains, and flood water retarding, will allow building pads to be safe from inundation from rainfall runoff which may be expected from all storms up to and including the theoretical 100-year flood. (County Standard Condition D01a)	A. Prior to the recordation of a subdivision map (except maps for financing and conveyance burposes only) or prior to the issuance of any grading permits, whichever comes first, the applicant shall ir a manner meeting the approval of the Manager, Subdivision and Grading; (County Standard Condition D02a)	1) Design provisions for surface drainage; consign all necessary storm drain facilities extending to a satisfactory point of disposal for the proper control and disposal of storm runoff; and 3) Dedicate the associated easements to the County of Orange, if determined necessary. (County Standard Condition D02a)
Title	Drainage Study: IV	Oratinage Study (cont.):	Drainage //	Drainage (cont.):
Keywords				
Subject	Drainage Study:	Orainage Study (cont.):	Drainage Improvements:	Drainage Improvements (cont.):
Timing	Prior to recordation of a Subdivision Map or issuance of a Grading Permit, whichever comes first	See above	Prior to recordation of a Subdivision Map or Issuance of a Grading Permit, whichever comes first	See above
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.5-1	(cont.)	SC 4.5-2	SC 4.5-2 (cont.)
Source	EIR 589	EIR 589	EIR 589	EIR 589
Cross Reference Column				
ltem No.	527	527.1	8258	528.1

	-		
нея Application	Each PA	PA PA	PA PA
Guidance for Compliance		See guidance above related to Item No. 30.	Except in those cases where the County of Orange and the public entity grantee have previously mutually agreed upon conditions to coexist within the easement area.
Form of Compliance	Verification of construction of drainage improvement	Verification of participation in Master Plan of Drainage (fees and/or improvements)	Verification that any granted easements are subordinate to easements offered to County and provision of copy of said easement(s)
Reviewing / Approving Authority (Advisory Agency in Parentheses)	Gounty of Orenge Manager of Inspection Manager, OC Inspection Division	County of Orange Director of Planning & Bevelopment Services, Director, OC Planning	Gount, of Orange Director of Planning & Development Services— Director, OC Planning (Orange County Flood Control District and Santa Margarita Water District)
Requirements or Entitlement Provisions	B. Prior to the recordation of a subdivision map (except maps for financing and conveyance purposes only) to prior to the issuance of any certificates of use and occupancy, whichever occurs first, said improvements shall be constructed in a manner meeting the approval of the Manager, Construction. (Countly Standard Condition DO2a)	Prior to the recordation of a subdivision map Geunty of Orenge-Verification of (except maps for financing and conveyance Breeder-of-participation in purposes only), the subdivider shall participate in the applicable Masse Plan of Bevelepment. Drainage (leas Drainage in a manner meeting the approval Services, of the Manager, Subdivision and Grading. Planning construction (or provide evidence of financial security, such as bonding) of the necessary facilities. (County Standard Condition D04b)	Subordination of Prior to the recordation of a subdivision map Geunty of Chenge Easements: (except maps for financing and conveyance Dieceter of purposes only), the subdivider shall not pleaders of grant any easements over any property subject to a requirement of dedication or irrevocable offer to the County of Orange or Director, OC the Orange County Flood Control District, Planning unless such easements are expressly made County subdividers to the easements to be offered Flood Control for dedication to the County. Prior to District and Santa granting any of said easements, the District and Santa proposed easement to the Manager. Subdivider shall furnish a copy of the District) Subdivision and Grading, for review and approval. (County Standard Condition)
Title	Drainage Improvements (cont.):	Master Plar of Drainage:	Subordination of Easements:
Keywords			
Subject	Drainage Improvements (cont.):	Master Plan of Drainage:	Subordination of Easements:
Timing	Prior to recordation of a Subdivision Map or Issuance of a Certificate of Use and Occupancy, whichever comes first	Prior to the recordation of a Subdivision Map (except maps for financing and conveyance purposes only)	Prior to the recordation of a Subdivision Map
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.5-2 (cont.)	SC 4.54	SC 4.5-5
Source	EIR 589	EIR 589	EIR 589
Cross Reference Column			
item No.	925	532	833

noitsoilqqA sərA	Each PA	FA
Guidance for Compliance	Except in those cases where the county of Orange and the public entry grantee have previously mutually agreed upon conditions to coexist within the easement area.	
Form of Compliance	See above	Verification of construction and/or offer(s) of dedication for flood control improvements
Reviewing / Approving Authority (Advisory Agency in Parentheses)	Geunity of Orange Director of Planning & Bowelepment Serviese Director, OC Banning (Orange County Flood Control District and Santa Margarita Water District)	Ceunty of Orange Verification of Director of Construction Planning & construction Services Director, OC Director, OC Planning (Orange County Flood Control District and Santa Margarita Water District)
Requirements or Entitlement Provisions	Subordination of The Santa Margarita Water District would Easements restore other improvements or facilities (cont.): consented to the location of such improvements or facilities to the extent that the exercise of its rights in connecting with the easement impacts other improvements of facilities to cared within the easement; however, in no event shall Santa Margarita Water District be responsible for the cost of relocating its facilities in event of conflicts with such improvements or facilities. (County Standard Condition D06b)	Regional Facility Prior to County of Orange acceptance of Improvements: improvements as identified by separate agreement the recordation of a subdivision map, the applicant shall improve Regional Facility. by the construction (or evidence of financial security, such as bonding) of an IOD shall be recorded offering said improvements and dedicate right-cf-way to the Orange County Flood Control District in a manner meeting the approval of the Manager, Subdivision and Grading. County of Orange to accept IOD upon satisfactory completion of improvements. (County Standard Condition DOTD. modified)
Title	Subordination of Easements (cont.):	Improvements:
Keywords		
Subject	Subordination of Easements (cont.):	Regional Facility
Timing	See above	Prior to County of Orange cocoptance of improvements as identified by separate recordation of a- gueement the recordation of a- gueement the
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.5-5 (cont.)	8C 4.5-6
Source	EIR 589	EIR 589
Cross Reference Column		
ltem No.	534	535

Docusign Envelope ID: 49D8B701-2534-44BF-B7F2-440C269D55A0

Area Application	PA PA	Each PA
Guidance for Compliance		
Form of Compliance	Submittal of satisfactory Water Quality Management Plan	See above
Reviewing / Approving Authority (Advisory Agency in Parentheses)	County of Orenge Submittal of Diffeeter of Planning Planning	See above
Requirements or Entitlement Provisions	Prior to the recordation of any final subdivision map (except those maps for financing or conveyance purposes only) or the issuance of any grading or building permit (whichever comes first), the applicant shall submit for review and approval by the Manager, Inspection Services Dvision, a Water Quality Management Plan (WOMP) specifically identifying Best Management Practices (BMPs) that will be used onsite to control predictable pollutant runoff. This WOMP shall identify, at a minimum, the routine structural and non-structural measures specified in the current Drainage Area Management Plan (DAMP). The INUMMP may include one or more of the following: (County Standard Condition	Discuss regional water quality and/or watershed programs (if available for the project). Address Site Design BMPs (as applicable) such as minimizing impervious areas, maximizing permeability, minimizing directly connected impervious areas, creating reduced or "zero discharge" areas, and conserving natural areas; Include the applicable Routine Source Control BMPs as defined in the DAMP. (County Standard Condition WQ01)
Title	Water Quality Management Plan:	Water Quality Management Plan (cont.):
Keywords		
Subject	Water Quality Management Plan:	Water Quality Management Plan (cont.):
Timing	Prior to the recordation of a Mana Subdivision Map Plan: or the issuance of any Grading or Building. Permit, whichever comes first	See above
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.5-8	SC 4.5-8 (cont.)
Source	EIR 589	EIR 589
Cross Reference Column		
.oM mətl	537	537.1

Appendix C

RANCH PLAN REGULATION COMPLIANCE MATRIX GUIDANCE DOCUMENT

		T		<u> </u>	
Area Application	Each PA	PA	Each PA	PA PA	Each PA
Guidance for Compliance		Note shall state: "Rancho Mission Viejo or assigns hereby release and relinquish vehicular access rights to all arterial highways to the County of Orange, except for access locations approved by the County of Orange"	Note shall make statement listed in quotations in condition.	If applicable, bonding may substitute for construction of each of the required improvements.	See above
Form of Compliance	See above	Verification of notes on the final map which release and relinquish webhicular access rights to all arterial highways to the County of Orange except for access locations approved by the County of Orange (Orange occuping of Orange occuping occupi	Verification of a note on the Subdivision Map	Submittal of satisfactory improvements and utility plans with verification of subsequent construction/in stallation of improvements	See above
Reviewing / Approving Authority (Advisory Agency in Parentheses)	See above	Geunty-of Orange- Director of Planning & Bowlepment- Services, Director, OC Planning	County of Orenge Director of Planning & Development Services, Director, OC Planning	County of Orange Submittal of Director of Lanning & mittovemen Industries, occupanting plans with Director, OC Planning construction of stallation of improvemen	See above
Requirements or Entitlement Provisions	Demonstrate how surface runoff and subsurface drainage shall be managed and directed to the nearest acceptable drainage facility (as applicable), via sump pumps if necessary, (Standard Condition of Approval, WQ03)	Prior to the recordation of a subdivision map, the subdivider shall place notes on the final map which release and relirquish vehicular access rights to all arterial highways to the County of Orange, except for access locations approved by the approval of the Manager, Subdivision and Grading. (County Standard Condition T01)	Prior to the recordation of a subdivision map, the subdivider shall place a note on the map, in a manner that meets the approval of the Manager, Subdivision and Grading Services, that states: "The private streets constructed within this map shall be developer, successors or assigns. The County of Orange shall have no responsibility therefore unless pursuant to appropriate sections of the Streets and Highways Code of the State of California, the said private streets have been accepted into the County Road System by appropriate resolution of the Orange County Board of Supervisors. (County Standard Condition T02)	Prior to the recordation of a subdivision map, the subdivider shall design and construct (or provide evidence of financial security, such as bonding) the following improvements in accordance with plans and specifications meeting the approval of the Manager, Subdivision and Grading: (Courty Standard Condition T04)	A. Streets, bus stops, on-road bicycle trails, street names, signs, striping and stenciling. (County Standard Condition 104)
Title	Water Quality Management Plan (cont.):	Vehicular Access Rights:	Improvements:	Street Improvements (eent.):	Street Improvements (cont.):
Keywords					
Subject	Water Quality Management Plan (cont.):	Vehicular Access Rights:	Improvements:	Street Improvements (cont.) :	Street Improvements (cont.):
Timing	See above	Prior to the recordation of a Subdivision Map	Prior to the recordation of a Subdivision Map	Prior to the recordation of a Subdivision Map	See above
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.5-8 (cont.)	SC 4.6-2	SC 4.6-3	SC 4.6-4	SC 4.6-4 (cont.)
Source	EIR 589	EIR 589	EIR 589	EIR 589	EIR 589
Cross Reference					
ltem No.	538	544	545	546	546.1

Each	Each	Each PA	Each PA	Each PA	Each	Each PA	Each PA
See above	See above	If applicable, bonding may substitute for construction of each of the required improvements.				If applicable, bonding may substitute for construction of each of the required improvements.	
See above	See above	Approved traffic signal plans with verification of subsequent installation	Submittal of satisfactory street improvement plans	See above	See above	Verification of improvements' construction in SC 4.6-8A	Submittal of offer(s) of dedication for signal maintenance easement(s)
See above	See above	County of Oceage Pleaning & Development Services, Director, OC Planning	County of Orange Director of Planning & Development- Services,	See above	See above	County of Orenge- Manager of- Inspection- Manager, OC Inspection Division	County of Orange- Director of- Planning &- Bevelepment- Services, Director, OC Planning
B. The water distribution system and appurtenances shall also conform to the applicable laws and adopted regulations enforced by the County Fire Chief. (County Standard Condition T04)	C. Underground utilities (including gas, cable, electrical and telephone), streetlights, and mailboxes. (County Standard Condition T04)	Prior to the recordation of a subdivision map, the subdivider shall install for provide evidence of financial security, such as bonding, that all underground traffic signal conduits (e.g., signals, phones, power, loop detectors, etc.) and other appurtenances (e.g., pull boxes, etc.) needed for future traffic signal construction, and for future interconnection with adjacent intersections, all in accordance with plans and specifications meeting the approval of the Manager, Subdivision and Grading. (County Standard Condition 108)	A. Prior to the recordation of a subdivision map or the issuance of any building permits, whichever occurs first, the subdivider shall provide plans and specifications meeting the approval of the Manager, Subdivision and Grading, for the design of the following improvements: (County Standard Condition T12)	Internal street common private drive system. (County Standard Condition T12)	 Entrance to the site to emphasize that the development is private by use of signs and other features. (Standard Condition of Approval 712) 	B. Prior to the recordation of a subdivision map, the applicant shall construct (or provide evidence of financial security, such as bonding) the above improvements in a manner meeting the approval of the Manager, Construction. (County Standard Condition 112)	Prior to the recordation of a subdivision map, the subdivider shall dedicare a signal maintenance easement to the Courty of Orange at the project site access, in a manner meeting the approval of the Manager, Subdivision and Grading. (County Standard Condition T13b)
Street Improvements (cont.):	Street Improvements (cont.):	Traffic Signal Conduit:	Circulation:	Internal Circulation (cont.):	Internal Circulation (cont.):	Internal Circulation (cont.):	Traffic Signal Maintenance Easement:
Street Improvements (cont.):	Street Improvements (cont.):	Traffic Signal Conduit	Circulaton:	Internal Circulation (cont.):	Internal Circulation (cont.):	Internal Circulation (cont.):	Traffic Signal Maintenance Easement:
See above	See above	Prior to the recordation of a Subdivision Map	Prior to the recordation of a Subdivision Map or prior to the issuance of Building Permits, whichever occurs first	See above	See above	Prior to the recordation of Subdivision Map.	Prior to the recordation of a Subdivision Map
SC 4.6-4 (cont.)	SC 4.6-4 (cont.)	SC 4.6-7	SC 4.6-8	SC 4.6-8 (cont.)	SC 4.6-8 (cont.)	SC 4.6-8 (cont.)	SC 4.6-9
EIR 589	EIR 589	EIR 589	EIR 589	EIR 589	EIR 589	EIR 589	EIR 589
546.2	546.3	549	550	550.1	550.2	550.3	551
	EIR 589 SC 4.6-4 See above Street Street B. The water distribution system and count.) Cont. Cont. Cont.	EIR 589 SC 4.6-4 See above Street Street Street B. The water distribution system and cont.) Improvements Imp	EIR 569 SC 464 See above Improvements (cont.) EIR 569 SC 4.6.4 See above Cont.) EIR 569 SC 4.6.4 See above Cont.) EIR 569 SC 4.6.4 See above Street Cont.) EIR 569 SC 4.6.7 Prior to the Traffic Signal Traffic Signal Prior to the recordation of a subdivision Cont.) EIR 569 SC 4.6.7 Prior to the Traffic Signal Traffic Signal Prior to the recordation of a subdivision Conduit Cont.) EIR 569 SC 4.6.7 Prior to the Traffic Signal Traffic Signal Prior to the recordation of a subdivision Conduit Cont.) EIR 569 SC 4.6.7 Prior to the Traffic Signal Traffic Signal Prior to the recordation of a subdivision Conduit Con	EIR 569 S.C. 46-4 See above Improvements Street Improvements Street Improvements Street Improvements Street Improvements Street Cont.); Cont.);	EIR 589 S.C. 4.6-4 See above Street Improvements Street Court.): Court.)	FIR 589 SC 4.64 See above Improvements Street Cont.) Con	EN 589 SC 4.44 See above Street Fire water distinction system and special behaviors a special behavior and special behavior and special behaviors and special behaviors and special behavior and special behaviors and special speci

Area Application	PA	PA	PA
Guidance for Compliance	If applicable, bonding may substitute for construction of each of the required improvements.	Staff may determine that no attenuation is necessary, and no action is required (as occurred in PA1). In such a case a "not applicable" memo is to be prepared. Applicant and County staff to address AC units in side yards as soon as possible.	
Form of Compliance	Verification of approved approved astreet improvement plans with subsequent installation or enter into agreement agreement with County for construction (with appropriate financial security)	Submittal of satisfactory acoustical analysis	See above
Reviewing / Approving Authority (Advisory Agency in Parentheses)	Gounty of Orenge- Director of Bovelening &- Bovelening &- Bovices, Director, OC Planning	County of Orange Submittal of Disease of Submittal of Planeing 4 acoustical Development Assurices and County of Corange Manager of Building Permits Services (Building Plan Manager, Permit Manager, Permit Manager, Permit Check)	See above
Requirements or Entitlement Provisions	Prior to the recordation of a subdivision map, the subdivider shall design and construct/provide a cash deposit of% of the cost of / /enter into an agreement with the County of Orange, accompanied by financial security, for the cost of% of) a traffic signal at the intersection of and traffic signal at the intersection of and the Manager, Subdivision and Grading. (County Standard Condition T14b)	The applicant shall sound attenuate all residential lots and dwellings against present and projected wellings against present and projected wellings against present and projected will be Planning & Planning & Planning & Development so that the composite interior standard of 45 Services and dBA CNEL for habitable rooms and a Ceurty etc. Part of the composite interior standard of 65 dBA Manager of CNEL for outdoor living areas is not exceeded. The applicant shall provide a Services, report prepared by a County-certified Director, or propertied by a County-certified planning and that these standards will be satisfied in a Manager. Per manner consistent with Zoning Code Services Section 7-9-137.5, as follows: (County (Check))	a. Prior to the recordation of a subdivision map or prior to the issuance of grading permits, as determined by the Manager, Building Permits Services, the applicant shall submit an acoustical analysis report to the Manager, Building Permits Services, for approval. The report shall describe in detail the exterior noise environment and preliminary mitigation measures. Acoustical design features to achieve interior noise standards may be included in the report in which case it may also satisfy Condition B below. (County Standard Condition N01)
Title	Installation:	Sound Attenuation:	Sound Attenuation (cont.):
Keywords			
Subject	Installation:	Sound Attenuation:	Sound Attenuation (cont.):
Timing	Prior to the recordation of a Subdivision Map	See below	Prior to the recordation of a subdivision map or prior to the issuance of grading permits
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.6-10	SC 4.8-3	(cont.)
Source	EIR 589	EIR 589	EIR 589
Cross Reference Column			
ltem No.	552	929	559.1

Area Application	Each PA	PC- Wide		
Guidance for Compliance	Applicant must submit one of the following: (1) approved improvement plan consisted with referenced Plan of Works, (2) letters from both SMWD and OCFA indicating sufficient water supply and pressure for Map area, or (3) subdivision improvement agreement with County.	Payment of school fees per CUSD/RMV Agreement		
Form of Compliance	Approved water improvement subsequent construction of improvement	Compliance with CUSD agreement	Submit a copy of the proposed Tract map to OCFA for administrative approval	Submit a copy of the proposed Tract map to OCFA for administrative approval
Reviewing / Approving Authority (Advisory Agency in Parentheses)	County of Orange Approved Director of Water Planning & Water Planning (OCFA) Improvement Planning (OCFA)	N/A	Director, PDS, Director, OC Planning	Director, PDS, Director, OC Planning
Requirements or Entitlement Provisions	Prior to the recordation of a subdivision map, the subdivider shall design and construct (or provide evidence of financial security, such as bonding) water distribution system and appurtenances that conform to the applicable laws and adopted regulations enforced by the County Fire Chief, in accordance with plans and specifications meeting the approval of the Manager, Subdivision and Grading, (Added per MMRP attached to 11/8/06 CEQA Resolution 04-290)	Prior to the recordation of final tract map, the project applicant shall provide for the payment of fees pursuant to California Government Code Section 65995, unless other provision are required of the applicant through the agreement with CUSD (see Mitigation Measure 4.15-5).	Prior to recordation of each Trad Map, the applicant shall submit a copy of the proposed Tract map to OCFA for administrative approval (verifying that the map remains consistent with previous approvals), and for OCFA's record keeping purposes.	MANEUVERAB Prior to recordation of the final tract map, the subdivider shall demonstrate that all necessary ingress/egress easements for vehicle maneuverability within motor courts/alleyways are identified on the final map subject to the satisfaction of the Planning Manager. The easement shall prohibit property owners from installing any improvements within the easement area or interfering with the use or maintenance of the easement.
Title	Water Improvement Plans:	CUSD Fees:	Administrative Approval of Tract Maps	MANEUVERAB ILITY EASEMENT
Keywords				
Subject	Water Improvement Plans:	CUSD Fees:	Administrative Approval of Tract Maps	
Timing	Prior to recordation of recordation of resordation of eubalwision maps (alternatively subdivision improvement agreement with the County		Prior to recordation of each Tract Map	Prior to recordation of the final tract map
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.15-1	SC 4.15-9	Cond. 4	Cond. #7
Source	EIR 589	EIR 589	Fire Prot. Prog.	Subarea 3.5 Builer "B" Map COAs
Gross Reference				
Item No.	539.1	597	619	#7

Docusign Envelope ID: 49D8B701-2534-44BF-B7F2-440C269D55A0

ž				
PA 3.5 BUILDER "B" MA	Form of Compliance		Submittal of satisfactory landscape plans (precise, not general landscape plan at SDP level	Issuance of Building Permit (Evidence of reflection of materials)
PA	Reviewing / Approving Authority (Advisory Agency in Parentheses)			Director, DC Director, OC Planning
Appendix C	Requirements or Entitlement Provisions		With the submittal of each Master Area Director, OC shade trees can be incorporated into Parking lot designs (to reduce evaporative emissions from parked vehicles) where shade trees can be sited (to reduce evaporative emissions from parked vehicles) where shade trees can be sited (to reduce evaporative parking needs); and how shade trees would be incorporated into bicycle and pedestrian path design. [Note: for the purposes of clarification, the fining of this requirement should be interpreted to read as follows: Prior to approval of each applicable Site Development permit, the project applicant shall]	As a part of each Master Area Plan, the applicant shall identify how the use of light-colored roof materials and paint; or reflect heat to the extent feasible has been incorporated into the design plars. [Note: for the purposes of clarification, the timing of this requirement should be interpreted to read as follows: Prior to approval of each applicable Site Development permit, the project applicant shall]
Apper	Title		Incorporate Shade Trees into Parking Lot Design	Use Light-Colored Roof Materials to Reflect Heat (Item Nos. 10-111)
	Keywords		Shade trees, evaporative emissions	Light-colored roof materials
CUMENT	Subject	ent Permit	Air Quality	Air Quality
GULATION COMPLIANCE MATRIX GUIDANCE DOCUMENT	Timing	b. Prior to Approval of Site Development Perm	EIR 589 MM 4.7-3 Prior to approval Air Quality Of Master-Area- Plan or Subarea- Plan Site Development Permit	111 (MM EIR 569 MM 4.7-3 Prior to approval Air Quaity 4.7-3) (cont.) of Master Area-Plan or Subarea-Plan or Subarea-Plan Sibarea-Plan S
E MATRIX (Condition, Mitigation, Public Benefit or Entitlement Provision	val of Sit	MM 4.7-3	(cont.)
PLIANCI	Source	Appro	EIR 589	EIR 589
ON COM	Stoss Reference nmuloD	rior to		4.7-3)
GULATI	Item No.	b. P	109	110

Each PA

Area Application

Guidance for Compliance

Each PA

Each PA

Area Application

Guidance for Compliance

Each

Docusign Envelope ID: 49D8B701-2534-44BF-B7F2-440C269D55A0

Cross Reference Column

Item No.

c. Prior to Issuar

522

2					
PA 3.5 BUILDER "B" M	Form of Compliance	Submittal of satisfactory geotechnical report	Approval of grading plan demonstrating submittal conformance with the grading shown on the approved TTM	Process new subdivision, if necessary	Recordation of a letter of consent from affected property owners if determined necessary by County of Crange Director of Planning & Development Services
PA	Reviewing / Approving Authority (Advisory Agency in Parentheses)	County of Orange Director of Planning & Bovolepment Services, Director, OC Planning	Geunit- of Orenge- Director of Danning & Development- Services, Director, OC Planning	Subdivision Committee review Commontee review conformance, if required	Ceunty of Orenge Recordation of Director of Janning & consent from Development affected Services. Director, OC owners if Alaming Actermined Actermined Actermined Actermined Actermined Planning & Director of Planning & Development Services
Appendix C	Requirements or Entitlement Provisions	Prior to the issuance of a grading permit, the applicant shalls ubmit a geotechnical report to the Manager of Subdivision. Manager OC Planned Communities and Grading, for approval. The report shall meet the requirements outlined in the County of Orange Grading Code and Manual. (County Standard Condition 601)	Prior to the issuance of any grading permits, the Manager of Subdivision and Grading shall review the grading plan for conformance with the grading shown on the approved tentative map. If the applicant submits a grading plan which the Manager of Subdivision and Grading Manager OC Planned Communities determines to show a significant deviation from the grading shown on the approved tentative map, specifically with regard to slope heights, slope ratios, pad elevations or configurations, the Subdivision Committee shall review the plan for a finding of condition GO2)	If the Subdivision Committee fails to make such a finding, the applicant shall process a revised tentative map; or, if a final map has been recorded, the applicant shall process a new tentative map or a site development permit application per Orange County Zoning Code Sections 7-9-139 and 7-9-150. Additionally, the applicant shall process a new environmental assessment for determination by the decision making entity. (County Standard Condition 602)	Prior to the recordation of a subdivision map or prior to the issuance of any grading permit, whichever comes first, and if determined necessary by the County of Orange Manager, Subdivision and Grading, the applicant shall record a letter of consent from the affected property owners permitting off-site grading, cross lot drainage, changed civersions and/or unnatural concentrations. The applicant shall obtain approval of the form of the letter of consent from the Manager, Subdivision and Grading Services before recordation of the letter. (County Standard Condition GO4)
Арре	Title	Geology and Soils:	Geology and Soils (cont.):	Geology and Soils (cont.):	Geology and Soils (cont.):
	Keywords				
CUMENT	Subject	ts Geology and Soils:	Geology and Soils (cont.):	Geology and Soils (cont.):	Geology and Soils (cont.):
APLIANCE MATRIX GUIDANCE DOCUMENT	Timing	Ssuance of Grading Permits EIR 589 SC 4.4-1 Prior to the Ge issuance of a Sc grading permit	Prior to the issuance of a grading permit	Prior to the issuance of a grading permit	Prior to the recordation of a subdivision map or prior to issuance of a Grading Permit, whichever comes first
E MATRIX (Condition, Mitigation, Public Benefit or Entitlement Provision	sc 4.4-1	SC 4.4-2	SC 4.4-2 (cont.)	SC 4.4-3
APLIANCE	Source	EIR 589	EIR 589	EIR 589	EIR 589

523

Each PA

Each PA

524

October 15, 2025 Page 11

Docusign Envelope ID: 49D8B701-2534-44BF-B7F2-440C269D55A0

Area Application	Each PA	PA PA	PA	PA	PA
	<u>R</u> G	<u>в</u> с	<u> </u>	<u> </u>	<u> </u>
Guidance for Compliance					
Form of Compliance	Approval of grading plan	Submittal of satisfactory of drainage study	See above	Approval of storm drain drainage plans and offer(s) of dedication, if necessary	See above
Reviewing / Approving Authority (Advisory Agency in Parentheses)	County of Orenge Approval of Director of Grading plan Planning & Bovelepment Services, Director, OC Planning	County of Orenge- Director of- Planning &- Bovelepment- Services, Director, OC Planning	See above	County of Orenge Approval of bleeder-et storm drain Planning & drainage pli Bevelepment and offer(s) Services, OC necessary Planning	See above
Requirements or Entitlement Provisions	Prior to issuance of grading permits, the Manager of Subdivision and Grading-Manager OC Planned Communities shall determine that the proposed grading is consistent with the grading depicted within the approved planning application. (County Standard Condition G09)	Prior to the recordation of a subdivision map (except maps for financing and conveyance purposes only) or prior to the issuance arry grading permits, whichever comes first, the following drainage studies shall be submitted to and approved by the Manager, Subdivision and Grading: (County Standard Condition D01a)	A. A drainage study of the project including diversions, of fisite areas that drain onto and/or through the project, and justification of any diversions; and any diversions; and B. When applicable, a drainage study evidencing that proposed drainage patterns will not overload existing storm drains; and C. Detailed drainage studies indicating how the project grading, in conjunction with the drainage swales, channels, street flows, catch basins, storm drains, and flood water retarding, will allow building pack to be safe from inundation from rainfall runoff which may be expected from all storms up to and including the theoretical 100-year flood. (County Standard Condition D01a)	A. Prior to the recordation of a subdivision map (except maps for financing and conveyance purposes only) or prior to the issuance of any grading permits, whichever comes first, the applicant shall ir a manner meeting the approval of the Manager, Subdivision and Grading. (County Standard Condition DO2a)	1) Design provisions for surface drainage; 2) Design all necessary storm drain facilities extending to a satisfactory point of disposal for the proper control and disposal of storm runoff; and 3) Dedicate the associated easements to the County of Orange, if determined the essary. (County Standard Condition D02a)
Title	Geology and Soils (cont.):	Drainage Study:	(cont.):	Drainage Improvements:	Drainage Improvements (cont.):
Keywords					
Subject	Geology and Soils (cont.):	Drainage Study:	(cont.):	Drainage Improvements:	Drainage Improvements (cont.):
Timing	Prior to the issuance of grading permits	Prior to recordation of a Subdivision Map or issuance of a Grading Permit, whichever comes first	See above	Prior to recordation of a Subdivision Map or Issuance of a Grading Permit, whichever comes first	See above
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.44	SC 4.5-1	SC 4.5-1 (cont.)	SC 4.5-2	SC 4.5-2 (cont.)
Source	EIR 589	EIR 589	EIR 589	EIR 589	EIR 589
Cross Reference nmuloD		_			
Item No.	525	527	527.1	528	528.1

noitsailqqA sərA	Each PA	Each PA	PA PA
Guidance for Compliance			
Form of Compliance	Submittal of satisfactory drainage plans	See above	Submittal of satisfactory Water Quality Management Plan
Reviewing / Approving Authority (Advisory Agency in Parentheses)	County of Orange Submittal of Director of Satisfactory Planning & drainage pla Develepment Services, Director, OC Planning	See above	Gounty of Orange Submittal of Director of Satisfactory Amening & Water Quality Services, Plan Director, OC Planning
Requirements or Entitlement Provisions	A. Prior to the issuance of any grading permits, the applicant shall in a manner meeting the approval of the Manager, Subdivision and Grading: (County Standard Condition D02b)	1) Design provisions for surface drainage; and 2) Design all necessary storm drain facilities extending to a satisfactory point of disposal for the proper control and disposal of storm runoff; and 3) Dedicate the associated easements to the County of Orange, if determined necessary. (County Standard Condition D02b)	Prior to the recordation of any final subdivision map (except those maps for financing or conveyance purposes only) or the issuance of any grading or building permit (whichever comes first), the applicant shall submit for review and approval by the Manager, Inspection Services Division, a Water Quality Management Plan (WQMP) specifically identifying Best Management Practices (BMPs) that will be used onsite to control predictable pollutant ruroff. This WQMP shall identify, at a minimum, the routine structural and non-structural measures specified in the current Drainage Area Management Plan (DAMP). The Alan Management Plan (DAMP). The following: (County Standard Condition WQO1)
Title	Drainage Improvements (cont.):	Drainage Improvements (cont.):	Water Quality Management Plan:
Keywords			
Subject	Drainage Improvements (cont.):	Drainage Improvements (cont.):	Water Quality Management Plan:
Timing	Prior to the issuance of Grading Permits	See above	Prior to the recordation of a Mana Subdivision Map Plan: or the issuance of any Grading Permit, Permit, comes first comes first
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.5-3	SC 4.5-3 (cont.)	SC 4.5-8
Source	EIR 589	EIR 589	EIR 589
Cross Reference nmuloO			
ltem No.	530	530.1	537

Area Application	Each PA	Each PA	P.A.
Guidance for Compliance			
Form of Compliance	See above	See above	Provision of Notice of Intent and verification of a copy of the Storm Water Pollution Plan (SWPPP); at the project site the project site
Reviewing / Approving Authority (Advisory Agency in Parentheses)	See above	See above	County of Orenge Provision of Manager of Interes of Int
Requirements or Entitlement Provisions	Discuss regional water quality and/or watershed programs (if available for the project): Address Site Design BMPs (as applicable) such as minimizing impervious areas, maximizing permeability, minimizing directly connected impervious areas, creating reduced or "zero discharge" areas, and conserving natural areas: Include the applicable Routine Source Control BMPs as defined in the DAMP. (Control BMPs as defined in the DAMP.	Demonstrate how surface runoff and subsurface drainage shall be managed and directed to the nearest acceptable drainage facility (as applicable), via sump pumps if necessary. (Standard Condition of Approval, WQ03)	Prior to the issuance of any grading or building permits, the applicant shall demonstrate compliance under California's General Permit for Stormwater Discharges Associated with Construction Activity by providing a copy of the Notice of Intent (NU) submitted to the State Water Resources Control Board and a copy of the subsequent nofficeation of the issuance of a Waste Discharge Identification (WDID) Number or other proof of filing in a manner meeting the satisfaction of the Manager, Building Permit Services. Projects subject to this requirement shall prepare and implement a Stormwater Pollution Prevention Plan (SWPPP). A copy of the current SWPPP shall be kept at the project site and be available for County review on request. (County Standard Condition
Title	Water Quality Management Plan (cont.)	Water Quality Management Plan (cont.):	Stormwater Pollution Prevention Plan.
Keywords			
Subject	Water Quality Management Plan (cont.):	Water Quality Management Plan (cont.):	Stormwater Pollution Prevention Plan.
Timing	See above	See above	Prior to the issuance of any Grading or Building Permits
Condition, Mitigation, Public Benefit or Entitlement	SC 4.5-8 (cont.)	SC 4.5-8 (cont.)	SC 4.5-10
Source	EIR 589	EIR 589	EIR 569
Cross Reference Column			
ltem No.	537.1	538	540

Docusign Envelope ID: 49D8B701-2534-44BF-B7F2-440C269D55A0

			_
Area Application	Each PA	PA PA	Each PA
Guidance for Compliance			
Form of Compliance	Submittal of satisfactory as atstactory Erosion and Sediment Control Plan (ESCP); verification of copy of ESCP at project site	Approved grading plans verifying adequate sight distance	Verification of compliance with Rule 403 and Rule 402
Reviewing / Approving Authority (Advisory Agency in Parentheses)	Ceunty of Orenge Submitted of Building Permits Services (Building Plan Coheck) Check) A project sit	County of Orange Approved Director of grading planning Bevelopment distance Services, Director, OC Planning	Count, of Orange Director of Planning Bevilean Services Director, OC Planning
Requirements or Entitlement Provisions	Prior to the issuance of any grading or building permit, the applicant shall submit a building permit, the applicant shall submit a Erosion and Sediment Control Pan (ESCP) in a manner meeting approval of the Manager, Building Permit Services, to demonstrate compliance with local and state water quality regulations for grading and construction activities. The ESCP shall identify how all construction materials, wastes, grading or demolition debris, and stockpiles of soil, aggregates, soil amendments, etc. shall be properly covered, stored, and secured to prevent transport into local drainages or coastal waters by wind, rain, tracking, tical erosion or dispersion. The ESCP shall also describe how the applicant will ensure that all BMPs will be maintained during construction of any future public right-of-ways. A copy of the current ESCP shall be kept at the project site and be available for County review on request. (County	Prior to the issuance of any grading permits, the applicant shall provide adequate sight distance per Standard Plan 11.17 at all street intersections, in a manner meeting the approval of the Manager, Subdivision and Grading. The applicant shall make all necessary revisions to the plan to meet the sight distance requirement such as removing slopes or other encroachments from the limited use area in a manner meeting the approval of the Manager, Subdivision and Grading Services.	All construction contractors shall comply with South Coast Air Quality Management District (SCAQMD) regulations, including Rule 403. Fugitive Dust, and Rule 402. Nuisance. All grading (regardless of reargage) shall apply best available control measures for fugitive dust in accordance with Rule 403. To ensure that the project is in full compliance with applicable SCAQMD dust regulations and that there is no nuisance impact off the site, the contractor would implement each of the following:
Title	Erosion and Sediment Control Plan.	Sight Distance.	Fugitive Dust:
Keywords			
Subject	Erosion and Sediment Control Plan.	Sight Distance:	Fugitive Dust:
Timing	Prior to the issuance of any Grading or Building Permits	Prior to the issuance of Grading Permits	Prior to the issuance of a grading permit
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.5-11	SC 4.6-6	SC 4.7-1
Source	EIR 589	EIR 589	EIR 589
Cross Reference Column			
Item No.	142	848	985

October 15, 2025 Page 15

Appendix C

noitsallqqA вөтА	Each PA	Each PA	Each PA	Each PA	Each PA	Each PA	Each PA	Each PA	Each PA	Each PA
Guidance for Compliance										
Form of Compliance	See above	See above	See above	See above	See above	See above	Place as general notes on approved grading plan	See above	See above	See above
Reviewing / Approving Authority (Advisory Agency in Parentheses)	See above	See above	See above	See above	See above	See above	County of Orange Director of Planning & Development Services, Director, OC Planning	See above	See above	See above
Requirements or Entitlement Provisions	a. Moisten soil not more than 15 minutes prior to moving soil or conduct whatever watering is necessary to prevent visible dust emissions from traveling more than 100 feet in any direction.	b. Apply chemical stabilizers to disturbed surface areas (i.e., completed grading areas) within five days of completing grading or apply dust suppressants or vegetation sufficient to maintain a stabilized surface.	c. Water excavated soil piles hourly or cover with temporary coverings.	d. Water exposed surfaces at least twice a day under calm conditions. Water as often as needed on windy days when winds are less than 25 miles per day or during very dry weather in order to maintain a surface crust and prevent the release of visible emissions from the construction site.	e. Wash mud-covered tires and under- carriages of trucks leaving construction sites.	f. Provide for street sweeping, as needed, on adjacent roadways to remove dirt dropped by construction vehicles or mud, which would otherwise be carried off by trucks departing from project sites.	ing	 a. Turn equipment off when not in use for more than five minutes. 	 Maintain equipment engines in good condition and in proper tune as per manufacturers' specifications. 	c. Lengthen the construction period during smog season (May through October) to minimize the number of vehicles and equipment operating at the same time.
Title	Fugitive Dust (cont.):	Fugitive Dust (cont.):	Fugitive Dust (cont.):	Fugitive Dust (cont.):	Fugitive Dust (cont.):	Fugitive Dust (cont.):	Construction - ROC and NOX Emissions:	Construction Emissions:	Construction Emissions (cont.):	Construction Emissions (cont.):
Keywords										
Subject	Fugitive Dust (cont.):	Fugitive Dust (cont.):	Fugitive Dust (cont.):	Fugitive Dust (cont.):	Fugitive Dust (cont.):	Fugitive Dust (cont.):	Construction - ROC ard NOX Emissions:	Construction Emissions:	Construction Emissions (cont.):	Construction Emissions (cont.):
Timing	See above	See above	See above	See above	See above	See above	Prior to issuance Construction - of a grading ROC and NOX permit Emissions:	See above	See above	See above
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.7-1 (cont.)	SC 4.7-1 (cont.)	SC 4.7-1 (cont.)	SC 4.7-1 (cont.)	SC 4.7-1 (cont.)	SC 4.7-1 (cont.)	SC 4.7-2	SC 4.7-2 (cont.)	SC 4.7-2 (cont.)	SC 4.7-2 (cont.)
Source	EIR 589	EIR 589	EIR 589	EIR 589	EIR 589	EIR 589	EIR 589	EIR 589	EIR 589	EIR 589
Cross Reference Column										
.oN mətl	555.1	555.2	555.3	555.4	555.5	555.5	556	556.1	556.2	556.3

Appendix C

noitsoilqqA sərA	Each PA	Each PA	Each PA	Each PA	Each PA	Each PA	PA
Guidance for Compliance							Staff may determine that no attenuation is necessary, and no accessary, and action is required (as occurred in PA1). In such a case a "not applicable" memo is to be prepared. Applicant and County staff to address AC unit
Form of Compliance	General note on approved grading plan	General note on approved grading plan	See above	See above	See above	See above	Submittal of satisfactory acoustical analysis
Reviewing / Approving Authority (Advisory Agency in Parentheses)	County of Orenge- Director of- Planning &- Bovelepment- Services, Director, OC Planning	County of Orange Director of Planning & Development Services, Director, OC Planning	See above	See above	See above	See above	County of Orange Director of Director of Development Services and County of Corange Manager of Building Permite Services Manager, Permit Services Building Plan Manager, Permit Manager, Permit Manager, Permit Manager, Permit
Requirements or Entitlement Provisions	During construction, the project applicant shall ensure that all noise generating activities be limited to the hours of 7 a.m. to 8 p.m. on weekdays and Saturdays. No noise generating activities shall occur on Sundays and holidays in accordance with the County of Orange Noise Ordinance.	A. Prior to the issuance of any grading permits, the project proponent shall produce evidence acceptable to the Manager, Building Permits Services, that: (County Standard Condition N10)	(1) All construction vehicles or equipment, fixed or mobile, operated within ′,000′ of a dwelling shall be equipped with property operating and maintained mufflets. (County Standard Condition N10)	(2) All operations shall comply with Orange County Codified Ordinance Division 6 (Noise Control). (County Standard Condition N10)	(3) Stockpiling and/or vehicle staging areas shall be located as far as practicable from dwellings. (County Standard Condition N10)	B. Notations in the above format, appropriately numbered and included with other notations on the front sheet of the project's permitted grading plans, will be considered as adequate evidence of compliance with this condition. (County Standard Condition N10)	The applicant shall sound attenuate all residential lots and dwellings against present and projected noise (which shall be Planning & Dreadre of Planning & Dreadre of Development so that the composite interior standard of 45 Services and 48 A CNEL for nabitable rooms and a Ceurty of CNEL for nabitable rooms and a Ceurty of CNEL for nabitable rooms and a Ceurty of CNEL for nabitable rooms and a Services and Export prepared by a County-certified Building Perm exceeded. The applicant shall provide a Services, report prepared by a County-certified Director, or specified roomsultant, which demonstrates Planning and manner consistent with Zoning Code Services Services Section 7:9-137.5, as follows: (County (Briding Plan Standard Condition N01)
Title	Construction:	Construction Noise:	Construction Noise (cont.):	Construction Noise (cont.):	Construction Noise (cont.):	Construction Noise (cont.):	Sound Attenuation:
Keywords							
Subject	Hours of Construction:	Construction Noise:	Construction Noise (cont.):	Construction Noise (cont.):	Construction Noise (cont.):	Construction Noise (cont.):	Sound Attenuation:
Timing	Prior to the issuance of grading permits	Prior to the issuance of grading permits	See above	See above	See above	See above	See below
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.8-1	SC 4.8-2	SC 4.8-2 (cont.)	SC 4.8-2 (cont.)	SC 4.8-2 (cont.)	SC 4.8-2 (cont.)	SC 4.8-3
Source	EIR 589	EIR 589	EIR 589	EIR 589	EIR 589	EIR 589	EIR 589
Scorence Reference nmuloO							
ltem No.	557	558	558.1	558.2	558.3	558.4	959

Each PA

Area Application

Guidance for Compliance

559.1

Item No.

Docusign Envelope ID: 49D8B701-2534-44BF-B7F2-440C269D55A0

Σ			
PA 3.5 BUILDER "B" M	Form of Compliance	See above	Approved detailed detailed andscape plan for privately maintained common areas
PA	Reviewing / Approving Authority (Advisory Agency in Parentheses)	See above	County of Orange-Approved Planning 4 Bouklepment for private Services, OC common 8 Planning
Appendix C	Requirements or Entitlement Provisions	a. Prior to the recordation of a subdivision map or prior to the issuance of grading permits, as determined by the Manager, Building Permits Services, the applicant shall submit an acoustical analysis report to the Manager, Building Permits Services, for approval. The report shall describe in detail the exterior noise environment and preliminary mitigation measures. Acoustical design features to achieve interior noise standards may be included in the report in which case it may also easity Condition B below. (County Standard Condition NO1)	a. Prior to the issuance of precise grading permits, the applicant shall prepare a detailed landscape plan for privately maintained common areas which shall be reviewed and approved by the Manager, Subdivision and Grading. The pan shall be certified by a licensed landscape architect or a licensed landscape architect as taking into account the approved preliminary landscape plan (if any), County Standard Plans for landscape areas, adopted plant palette guides, applicable scenic and specific plan requirements, Water Conservation Measures contained in Board Resolution 90-1341 (Water Conservation Board Resolution 90-1341 (Water Conservation Board Resolution 90-1341 (Water Conservation Implementation Plan). (County Standard Condition LAQ2b)
Appe	Title	Sound Attenuation (cont.):	Private Area Landscaping:
	Keywords		
CUMENT	Subject	Sound Attenuation (cont.):	Private Area Landscaping:
ION COMPLIANCE MATRIX GUIDANCE DOCUMENT	Timing	SC 4.8-3 Prior to the (cont.) recordation of a subdivision map or prior to the issuance of grading permits	Prior to the issuance of precise grading permits
E MATRIX (Condition, Mitigation, Public Benefit or Entitlement Provision		EIR 589 SC 4. 10-2 Prior to the issuance of precise gram permits
PLIANCI	Source	EIR 589	EIR 589
ON COM	Stoss Reference nmuloD		
=			

299

Each

(Ĺ)
	2	≤
١	ζ	3
	2	5
	Š	2
	٤	?
	1	1

Area Application	PA
Guidance for Compliance	If prior to rough grade (GA permt) applicant has obtained archaeological clearance, no additional review or clearance required if precise grading (GB) permit is in permit; in permit is in permit.
Form of Compliance	Written evidence that a County-certified archaeologist has been retained to observe grading and salvage, and to catalogue archaeological resources
Reviewing / Approving Authority (Advisory Agency in Parentheses)	Works/OC Public Planning* Works/OC Public Planning* Works/OC Public Planning* Fesources Fesources
Requirements or Entitlement Provisions	Prior to the issuance of any grading permit, Ceunty et the applicant shall provide written evidence Manager, to the County of Orange Manager, Harbors Bubdivision and Grading, that applicant has 4-Parkerelatined a County-certified archaeologist to HBP/Ceas observe grading activities and salvage and Historieal-cologist processay. The archaeologist shall be present at the pre-grade conference; shall be present at the pre-grade conference; shall resource surveillance; and shall establish, in cooperation with the applicant, procedures for temporarily halting or redirecting work to permit the sampling, identification, and evaluation of the artifacts as appropriate. If the archaeological resources are found to be evaluation of the artifacts as appropriate. If the archaeological resources are found to be evaluation of the artifacts as appropriate of the artifacts in cooperation with the project applicant, for exploration and/or salvage. (County Standard Condition AO4)
Title	Archaeology Grading Observation and Salvage:
Keywords	
Subject	Archaeology Grading Observation and Salvage:
Timing	172-176 EIR 589 SC 4.11-1 Prior to the issuance of any 4.11-3) grading permits
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.11-1
Source	EIR 589
Scorence Column	172-176 ((MM)
ltem No.	571

ပ	
ndix	
₫	
р	
⋖	

Area Application	PA PA	Each PA	
Guidance for Compliance	<u> </u>	<u> </u>	
Form of Compliance	Written evidence that evidence that county- certified archaeologist has been thas been grading and grading and salvage, and to catalogue fossils as necessary	Submittal of Hazardous Materials Assessment and Disclosure Statement	Provide the Manager, PDS and the Manager PDS and the Manager OC Manager OC Communities with a Cearance from OCFA demonstrating approval of a Conceptual Fuel Modification Plan
Reviewing / Approving Authority (Advisory Agency in Parentheses)	County of Orenge Manager. Harbers, Beathes & Parke HBP/Ceastal and Historical Facilities OC Public Works/OC Planning*	County of Orange- Director of- Planning &- Development Services- Director, OC Planning (OCFA)	Director, PDS, Director, OC Planning
Requirements or Entitlement Provisions	Prior to the issuance of any grading permit, the project contractor shall provide written evidence to the Manager, Subdivision and Crading, that contractor has retained a County certified paleontologist to observe grading activities and salvage and catalogue fossils as necessary. The paleontologist shall be present at the pregrade conference, shall establish procedures for paleontological resources surveillance, and shall establish, in cooperation with the contractor, procedures for temporarily halting or redirecting work to permit sampling, identification, and evaluation of the fossils. If the paleontological resources are found to be significant, the paleontologist shall determine appropriate actions, in cooperation with the contractor, which ensure proper exploration and/or salvage. (County Standard Condition A07)	Prior to the issuance of a grading or building Geunty of Ora permit, the contractor shall submit to the Fire Chief a list of all hazardous, flammable Plamming & and combustible liquids, solids or gases to Development be stored, used or handled on site. These materials shall be classified according to the Director, OC Uniform Fire Code and a document summary sheet listing the totals for storage and use for each hazard class. (County Standard	d) Prior to the issuance of a GB precise grading permit, the applicant shell provide the Manager, PDS Subdivision end-flatest-Burner Communities, with a clearance from OCFA indicating their review and approval of a Precise Fuel Modification Plan per RPFPP Section C.3.
Title	Paleontology Resource Surveillance:	Hazardous Materials:	Precise Fuel Mod:
Keywords			
Subject	Paleontology Resource Surveillance:	Materials:	Mod: Mod:
Timing	Prior to the issuance of any grading permits	Prior to issuance of a grading and/or building permit	Prior to the issuance of a GB precise grading permit
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.11-2	SC 4. 14-2	Cond. 3.d. P
Source	EIR 589	EIR 589	Fire Prot. Prog.
ezorə Reference nmuloD			
Item No.	574	589	919

Area Application	PA PA	PA PA
Guidance for Compliance		
Form of Compliance		
Reviewing / Approving Authority (Advisory Agency in Parentheses)	Count, of Orange Manager— Building— Inspection— Services, Manager, OC Inspection Division	County of Orenge Manager Building Inspection Services, Inspection Division
Requirements or Entitlement Provisions	Prior to the issuance of any grading or building permits, the applicant shall submit for review and approval by the Nanager, Permit Services, a Water Quality. Management Plan (WQMP) specifically identifying Best Management Practices (BMPs) that will be used onsite to control predictable pollutant runoff. The applicant shall utilize the Orange County Drainage Area Management Plan (DAMP), Model WQMP, and Technical Guidance Manual for reference, and the County's WQMP template for submittal.	This WGMP shall include the following: - Detailed site and project description - Potential stormwater pollutants - Post-development drainage characteristics - Low Impact Development (LID) BMP selection and analysis - Structural and Non-Structural source control BMPs - Site design and drainage plan (BMP Exhibit) - GlS Coordinates for all LID and Treatment control BMPs - Operation and Maintenance (Q&M) Plan that (1) describes the long-term operation and maintenance requirements for BMPs identified in the BMP Exhibit; (2) identifies therm operation and maintenance of the referenced BMPs; and (3) describes the mechanism for funding the long-term operation and maintenance of the referenced BMPs; and (3) describes the mechanism for funding the long-term operation and maintenance of the steferenced BMPs. The BMP Exhibit from the approved WQMP shall be included as a sheet in all plan sets submitted for plan check and all BMPs shall be depicted on these plans. Grading and building plans must be consistent with the approved BMP exhibit.
Title		
Keywords		
Subject	WOMP	WOMP
Timing	Prior to the issuance of any grading or mits building permits	See above
Condition, Mitigation, Public Benefit or Entitlement Provision		
Source	Subarea 3.5 Builer "B" Map COAs	Subarea 3.5 3.5 Builer "B" Map
Cross Reference Column		
Item No.	2 2	COA# 2 2 (cont.)

RANCH PLAN REGULATION COMPLIANCE MATRIX GUIDANCE DOCUMENT

Docusign Envelope ID: 49D8B701-2534-44BF-B7F2-440C269D55A0

	£		Ι. φ	ے
noitsaliqqA səтА	Each PA	Each PA Each Applica ble PA	PC- Wide	Each
Guidance for Compliance	Signature of Landscape Architect on approved Precise Fuel Modification Plan certifying plant paletter. (a) compiles with current OCFA plant list, and (b) does not include plants listed on the current invasive species list.		detail how street lighting is to be directed away from RMV Open Space areas	
Form of Compliance	Verification of authorized authorized plant materials	Issuance of Building Permit (Evidence of reflection of heat through home design). Preparation of a lighting plan	Negotiate and execute Mitigation Agreement regarding future school facilities and payment of costs	Verification of design development compliance with the UBC and Municipal Code requirements
Reviewing / Approving Authority (Advisory Agency in Parentheses)	Director, DDS. Verification of Director, OC authorized authorized Janning (OCFA) plant materials	Director, PDS Director, OC Planning Director, OC Director, OC Planning	Capistrano Unified School District (CUSD)	County of Orange Director of Planning & Development Services, Director, OC Planning
Requirements or Entitlement Provisions	a. Prior to issuance of fuel modification plan approvals, the County of Orange shall verify that: 1) plants identified by the California Exotic Pest Plant Council as an nvasive risk in Southern California are not included in plans for fuel management zones adjacent to the RMV Open Space and, 2) the plant palette for fuel management zones adjacent to RMV Open Space is limited to those species listed on the Orange County Fire Authority Fuel Modification Plant List.	Prior to issuance of building permits, the applicant shall identify how the use of light-colored roof materials and paint: o reflect heat to the extent feasible has been incorporated into the design plars. Lighting shall be shielded or directed away from RMV Open Space habitat areas through the use of low-sodium or similar	intensity lights, light shields, native shrubs, berms or other shielding methods. Prior to issuance of any residental building permit, excluding senior housing, the applicant shall enter into an agreement with CLUSD regarding the development of future facilities and payment of costs. The agreement shall, at a minimum, provide for the payment of ces pursuant to California Government Code Section 65995. If flees are paid, the amount of fees to be paid will be determined based on the established	State formula for determining construction costs. Applicable fees shall be paid prior to the issuance of each building permit. The proposed development shall be designed in compliance with the Uniform Building Code (UBC), accepted industry standards, and the County's earthquake safety Municipal Code requirements.
Title	Invasive Plants and Fuel Modification	-01	Open Space CUSD Agreement	Geology and Soils (cont.):
Keywords	California Exotic Pesto Plant Council, OCFA Fuel Modification Plant List	Light-colored roof materials Open Space habitat, light shields	California Government Code Section 65995	
Subject	Plans Biological Resources	Air Quaity Air Quaity Biological Resources	Public Services and Facilities	Geology and Soils (cont.):
Timing		Prior to issuance A of building permits permits Prior to the Prior to the E Building permits E Building permits	on streets for tracts with public street lighting adjacent to RMV Open Space habitat areas Prior to issuance of residential building permits (excluding agequalified units)	Prior to the issuance of building permits
Condition, Mitigation, Public Benefit or Entitlement Provision	Precise Fuel Modification (cont.) EIR 589 MM 4.9-27 Prior to the (cont.) Approved of precise Fuel Modification Plans	Prior to Issuance of Building 110 (MM EIR 589 MM 4.7-3 Prior to is 4.7-3) (cont.) or building 141 (MM EIR 589 MM 4.9-28 Prior to th 4.9-28) (sissuance 515 Building p	MM 4.15-5	SC 4.4-5
Source	Precis	EIR 589	EIR 589	EIR 589
Cross Reference nmuloD	Prior to 137 and 137 and 138 (EIR 589, MM 4.9-27) 514 (ROSA Exhibit G)	110 (MM 4.7-3) 4.7-3) 141 (MM 4.9-28) 515	(Rosa Exhibit G)	
ltem No.	38 23	111 140	206	526

October 15, 2025 Page 22

O
¥
쓩
ĕ
e
₫
⋖

noitsoilqqA setA	PA PA	Each PA	Each PA
Guidance for Compliance			
Form of Compliance	Submittal of satisfactory Water Quality Management Plan	See above	See above
Reviewing / Approving Authority (Advisory Agency in Parentheses)	Gounty of Orenge- Director Satisfactory Satisfactory Water Cualifactory Boardings Planning Planning	See above	See above
Requirements or Entitlement Provisions	Prior to the recordation of any final subdivision map (except those maps for financing or conveyance purposes only) or the issuance of any grading or building permit (whichever comes first), the applicant shall submit for review and approval by the Manager, Inspection Services Division, a Water Quality Management Plan (WQMP) specifically identifying Best Management Practices (BMPs) that will be used onsite to control predictable pollutant runoff. This WQMP shall identify, at a minimum, the routine structural and non-structural measures specified in the current Drainage Area Management Plan (DAMP). The MQMP may include one or more of the following: (County Standard Condition	• Discuss regional water quality and/or watershed programs (if available for the project); Address Site Design BMPs (as applicable) such as minimizing impervious areas, maximizing permeability, minimizing directly connected impervious areas, creating connected impervious areas, and conserving natural areas; • Include the applicable Routine Source Control BMPs as defined in the DAMP: (County Standard Condition WQ01)	Demonstrate how surface runoff and subsurface drainage shall be managed and directed to the nearest acceptable drainage facility (as applicable), via sump pumps if necessary, (Standard Condition of Approval, WQ03)
Title	Water Quality Management Plan:	Water Quality Management Plan (cont.)	Water Quality Management Plan (cont.):
Keywords			
Subject	Water Quality Management Plan:	Water Quality Management Plan (cont.):	Water Quality Management Plan (cont.):
Timing	Prior to the recordation of a Subdivision Map or the issuance of any Grading or Building or Building bermit, whichever comes first	See above	See above
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.5-8	SC 4.5-8 (cont.)	SC 4.5-8 (cont.)
Source	EIR 589	EIR 589	EIR 589
Cross Reference Column			
Item No.	537	537.1	538

noitsailqqA serA	PA PA	PA PA	Each PA
Guidance for Compliance			
Form of Compliance	Provision of Notice of Intent and verification of a copy of the Storm Water Pollution Plan (SWPPP); at the project site	Submittal of satisfactory Erosion and Sediment Control Plan (ESCP); verification of copy of ESCP at project site	Verification of payment of fees for the Major Thoroughfare and Bridge Fee Program
Reviewing / Approving Authority (Advisory Agency in Parentheses)	Manager of Annage Provision of Manager of In Suiding and verificat Inspection (Regional Water Pollun (Regional Water Pollun (Regional Water Pollun Board) the project street of	Gounty of Oceage Submittal of Building Permite Sediment Services (Building Plan Coheck) Check) at project sit	County of Orange Director of Planning & Bovelepment Services, Director, OC Planning
Requirements or Entitlement Provisions	Prior to the issuance of any grading or building permits, the applicant shall demonstrate compliance under California's General Permit for Stormwater Discharges Associated with Construction Activity by providing a copy of the Notice of Intent (NOI) submitted to the State Waster Resources Control Board and a copy of the subsequent notification of the issuance of a Waste Discharge Identification (WDID) Number or other proof of filing in a manner meeting the astisfaction of the Manager. Building Permit Services. Projects subject to this requirement shall prepare and implement a Stormwater Pollution Prevention Plan (SWPPP). A copy of the current SWPPP shall be kept at the project site and be available for County review on WQ04).	Prior to the issuance of any grading or building permit, the applicant shall submit a manner meeting approval of the Erosion and Sediment Control Pan (ESCP) in a manner meeting approval of the Manager, Building Permit Services, to demonstrate compliance with local and state water quality regulations for grading and construction activities. The ESCP shall identify bow all construction materials, wastes, grading or demolition debris, and succkplies of soil, aggregates, soil amendments, etc. shall be properly covered, stored, and secured to prevent transport into local drainages or coastal waters by wind, rain, tracking, tical erosion or dispersion. The ESCP shall ensoin or dispersion. The ESCP shall ensoin dispersion. The ESCP shall ensoin all BMFs will be maintained during construction of any future public right-ofways. A copy of the current ESCP shall be Kept at the project site and be available for County review on request. (County Standard Condition WQQ5)	Prior to the issuance of building permits, the Gounty of Orenge Verification of applicant shall pay fees for the Major Thoroughfare and Bridge Fee Program for Planning &— fees for the He Foothill/Eastern Transportation Corridor, Development Major in a manner meeting the approval of the Manager, Subdivision and Grading. Planning Fee Program Fee Program
Title	Stormwater Pollution Prevention Plan.	Erosion and Sediment Control Plan.	Major Thoroughfare and Bridge Fee Programs:
Keywords			
Subject	Stormwater Pollution Prevention Plan.	Erosion and Sediment Control Plan.	Major Thoroughfare and Bridge Fee Programs:
Timing	Prior to the issuance of any Grading or Building Permits	Prior to the issuance of any Grading or Building Permits	Prior to the issuance of Building Permits
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.5-10	SC 4.5-11	SC 4.6-5
Source	EIR 589	EI 75 58 9	EIR 589
Cross Reference Column			
Item No.	540	142	547

RANCH PLAN REGULATION COMPLIANCE MATRIX GUIDANCE DOCUMENT

Docusign Envelope ID: 49D8B701-2534-44BF-B7F2-440C269D55A0

noitsoilqqA sөтА	Each PA	Each PA	Each PA
Guidance for Compliance			
Form of Compliance	Submittal of satisfactory street improvement plans	See above	See above
Reviewing / Approving Authority (Advisory Agency in Parentheses)	County of Orange Director of Planning & Development Services,	See above	See above
Requirements or Entitlement Provisions	A. Prior to the recordation of a subdivision Gounty of Orenge Submittal of map or the Issuance of any building permits, Director and whichever occurs first, the subdivider shall Planning & street provide plans and specifications meeting Development improvement the approval of the Manager, Subdivision Services, plans and Grading, for the design of the following improvements: (County Standard Condition 712)	1) Internal street common private drive system. (County Standard Condition T12)	2) Entrance to the site to emphasize that the development is private by use of signs and other features. (Standard Condition of Approval 712)
Title	Internal Circulation:	Internal Circulation (cont.):	Internal Circulation (cont.):
Keywords			
Subject	Internal of a Circulaton: Map ne mis,	Internal Circulation (cont.):	Internal Circulaton (cont.):
Timing	Prior to the recordation of a 18 Subdivision Map or prior to the issuance of Building Permits, whichever	See above	SC 4.6-8 See above (cont.)
Condition, Mitigation, Public Benefit or Entitlement Provision	EIR 589 SC 4.6-8 Prior to the recordation Subdivision or prior to the issuance of Building Per whichever occurs first	EIR 589 SC 4.6-8 See above (cont.)	SC 4.6-8 (cont.)
Source	EIR 589	EIR 589	EIR 589
Cross Reference Column			
Item No.	920	550.1	550.2

Appendix C

RANCH PLAN REGULATION COMPLIANCE MATRIX GUIDANCE DOCUMENT

	-			
Area Application	Each PA	PA PA	Each	Each
Guidance for Compliance				
Form of Compliance	Submittal of satisfactory internal pedestrians circulation plans	Submittal of satisfactory acoustical analysis	See above	Approved landscaping plan and irrigation plan
Reviewing / Approving Authority (Advisory Agency in Parentheses)	County of Orange Submittal of Director of Panning & national Development pedestrians Services, circulation Director, OC plans	County of Overage Submittal of Diesetter of antistactory Planning & acoustical Development and Journ's of County of Cornigo Manager of Building Planning and Manager, Permit Manager, Permit Manager, Permit Manager, Permit Check)	See above	County of Orenge Approved Preseter of Indiscapii Planning & plan and Bevelopment irrigation in generatision with Manager, HBP, Director, OC Planning
Requirements or Entitlement Provisions	C. Prior to the issuance of any building permits, the subdivider shall provide plans meeting the approval of the Manager, Subdivision & Grading, for the design of the internal pedestrian circulation system within the development. (County Standard Condition T12)	De Prior to the issuance of any building Ceunty efferent permits for residential construction, the Director of applicant shall submit an acoustical analysis Planning Report describing the acoustical design Pervelopment features of the structures required to satisfy Ceunty eff. The Manager. Building Permits Services, for Manager Building Permits Services, for Manager Building Permits Services, for Manager and Permits Services, for Manager and Permits Services, for Manager and Permits Services. The Manager in the Approval along with satisfactory evidence Permits Services. Services acoustical report have been incorporated Planning and Into the design of the project. (County Services Standard Condition N01) (Building Pile Ceick)	c. Prior to the issuance of any building permits, the applicant shall show all freestanding accountsical barriers on the project's plot plan illustrating height, location and construction in a manner meeting the approval of the Manager, Building Permits Services. (County Standard Condition N01)	The applicant shall install landscaping, equip for irrigation, and improvements on lots in accordance with an approved plan as stated below: (County Standard Condition LA01b)
Title	Internal Circulation (cont.):	Sound Attenuation (cont.):	Sound Attenuation (cont.):	Public Area Landscaping:
Keywords				
Subject	Internal Circulation (cont.):	Sound Attenuation (cont.):	Sound Attenuation (cont.):	Public Area Landscaping:
Timing	Prior to the issuance of Building Permits	Prior to the issuance of any wilding permits for residential construction	See above	Prior to the issuance of building permits
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.6-8 (cont.)	(cont.)	SC 4.8-3 (cont.)	SC 4.10-1
Source	EIR 589	EIR 589	EIR 589	EIR 589
Cross Reference Column				
ltem No.	550.4	559.2	559.3	564

endix C	
Appe	
CUMENT	

Each PA	Each PA	Each PA
	Low voltage lighting: landscape architect is the designer can sign off on the lighting. High voltage lighting: electrical engineer stamp required.	
See above	Approved lighting study/plan	Submittal of Hazardous Materials Assessment and Disclosure Statement
See above		County of Orenge Director of Plenning & Bevelopment Services Director, OC Planning (OCFA)
a. Detailed Plan-Prior to the issuance of any building permit(s), the applicant shall submit a detailed landscape plan showing the detailed inrigation and landscaping design to the Manager, Subdivision and Grading for approval, in consultation with the Manager HBP/Program Management. Detailed plans shall show the detailed irrigation and landscaping design and shall andscape plan for the Ranch Plan project, the County Standard Plans for landscape areas, adopted plant palette guides, applicable scenic and specific plan requirements, Water Conservation Measures contained in Board Resolution 90-437 (Water Conservation Measures), and Board Resolution 90-1341 (Water Conservation Measures) and Board Resolution 90-1341 (Water Conservation Implementation Plan).	Prior to issuance of any building permit, the applicant shall defenonstrate that all exterior lighting has been designed and located so lift at all direct rays are confined to the property in a manner meeting the approval of the Manager, Building Permit. (County Standard Condition LG01)	Prior to the issuance of a grading or building Gounty of Orenge Submittal or permit, the contractor shall submit to the Pleacherd. Fire Chief a list of all hazardous, flammable Pleaning & Materials and combustible liquids, solids or gases to Bevelepment be stored, used or handled on site. These materials shall be classified according to the Director, OC Statement Uniform Fire Code and a document Submitted to the Fire Chief with a summany submitted to the Fire Chief with a summany submitted to the Fire Chief with a summany for each hazard class. (County Standard Condition FPC11A)
Landscaping:	Light and Glare:	Materials:
Public Area Landscaping:	Light and Glare:	Hazardous Materials:
See above	Prior to the issuance of building permits	Prior to issuance Hazardous of a grading Materials: and/or building permit
(cont.)	SC 4.10-3	SC 4.14-2
	EIR 589	EIR 589
554.1 1.	920	589
	EIR 589 SC 4.10-1 See above Public Area a. Detailed Plan-Prior to the issuance of Landscaping: any building permit(s), the applicant shall submit a detailed landscape plan showing the detailed inrigation and landscaping design to the Manager, Subdivision and Crading for approval, in consultation with the Manager HBPP regram Management. Detailed plans shall show the detailed irrigation and landscape plan and shall show the detailed critique on and landscape plan for the Ranch Plan project, the County Standard Plans for landscape land reads adopted plant pathet guides, applicable scenic and specific plan requirements. Water Conservation Measures contained in Measures contained in Board Resolution 90-487 (Water Conservation Plant). (County Standard Conservation Implementation Plant).	EIR 569 SC 4.10-1 See above Public Area Landscaping: Landscaping: Landscaping: Landscaping: authorities of a detailed impation and landscaping design to the Manager Landscape plant showing defauled impation and landscaping design to the Manager Landscape plant patent and landscaping design to the Manager Landscape plant patent and landscaping design and shall the Manager Landscape plant for the Manager Landscape plant patent and landscaping design and shall the Manager Landscape plant for the Manager Landscape and Landscape plantscape and Landscape Landsc

Area Application			
Guidance for Compliance			
Form of Compliance	Provide the Manager, Manager, Balling & Safety, with a Clearance from OCFA were and registration has been cleared and maintained and maintained		
Reviewing / Approving Authority (Advisory Agency in Parentheses)	Director, PBS, Director, OC Planning	Director, PDS, Manager, Permit Services (Building Plan Check)	Director, DCs, Director, OC Planning
Requirements or Entitlement Provisions	e) Prior to the issuance of a building permit Director, OC Tract Maps adjoining fuel modification Planning areas, and prior to the County of Orange allowing fuel tanks, generators and/or Lumber Drops, lesse Section E. Definitions) within the project site, the applicant shall provide the Manager, Building & Safety, with a clearance from OCFA indicating that vegetation has been cleared and maintained at a height of 8 inches or less, or that the appropriate fuel modification thinning and removal of plants from the OCFA Undesirable Plant List has been implemented.	BEST MANACEMENT site regional Bast Management Practices Manager, Per Management Practices Management Practices (Bardes, Pers, Bast Management Practices (Bardes, Pers, Pers, Pers, Carlon and Persins, swales, etc.) must be built and/or installed, and operational. The location and operation of these regional BMPs must be in compliance with the Final Project-Specific WOMP for the regional BMP(s). The location and operation of the regional BMP(s) and the regional BMP(s) in must be demonstrated to the satisfaction of the Manager, Grading and Building Plan Check.	Prior to the issuance of any building permits for residential construction, the ceveloper RMV Community Development, LLC, shall prepare a map denoting the existing and proposed land uses, arterial highways, and public facilities within the surrounding area for the approval of the Manager, OC Planning. The map content, display, and distribution shall be in accordance with the Buyer Notification Program guidelines listed in Board of Supervisors Resolution 82-1368 and as amended.
Title	nce:	BEST MANAGEMENT PRACTICES	BUYER NOTIFICATION MAP
Keywords			
Subject	Clearance:		
Timing	Prior to the issuance of a building permit for construction phases of Vesting Tentative Tract Maps adjoining fuel modification areas, and prior to the County of Orange allowing fuel tanks, and/or Lumber Drops	Prior to the issuance of a building permit	Prior to the issuance of a building permit
Condition, Mitigation, Public Benefit or Entitlement Provision	Cond. 3.e.	Cond. #3	Cond. #6
Source	Fire Prod. Prog.	Subarea 3.5 3.5 Builer "B" Map COAs	Subarea 3.5 Builer "B" Map COAs
Cross Reference Column			
ltem No.	617	COA#3	COA#6

RANCH PLAN REGULATION COMPLIANCE MATRIX GUIDANCE DOCUMENT

Appendix C

Each PA Each PA Each Area Application Guidance for Compliance OCHCA and/or RWQCB (as directed) evaluation and submit to Verification of construction of Compliance Site inspection Verification of encountering installation of Form of mprovement improvement Stop work upon condition; drainage drainage prepare County of Orange (Advisory Agency in Parentheses) Planning (Orange County Health Care Reviewing / Approving Authority Director, PDS, Director, OC nspection, Manager, OC Inspection Division Manager of Inspection, Manager, OC Inspection Director, PDS-Director, OC Manager of (gency) mpacted by hazardous materials, work will remedial measures will be implemented, as shall be constructed in a manner meeting the approval of the Manager, Construction. (County Standard Condition D02b) d) Prior to initiation of combustibe construction the following fire master plan improvements shall be verified by site the evaluation will be submitted to OCHCA B. Prior to the recordation of a subdivision B. Prior to the issuance of any certificates of use and occupancy, said improvements professional. If requested by the qualified conveyance purposes only) or prior to the Manager, Construction. (County Standard Condition D02a) environmental professional, the results of If soil is encountered during site development that is suspected of being occupancy, whichever occurs first, said improvements shall be constructed in a Requirements or Entitlement applicable oversight agency, untl all specified requirements of the oversight directed by OCHCA, RWQCB, or other agencies are satisfied and a no-further ssuance of any certificates of use and evaluated by a qualified environmental and/or RWQCB, and the appropriate be halted and site conditions will be map (except maps for financing and manner meeting the approval of the Provisions action status is attained. · Emergency access · Water Supply nspection: Drainage Improvements (cont.): ESA Remedial mprovements A Map Fire Master Plar (cont.): Title Measures Drainage cont.): Keywords Remedial measures h. Prior to Issuance of Certificates of Occupancy recordation of a | Improvements mprovements Hazards and Hazardous Materials A Map Fire Master Plan (cont.): Subject Drainage Drainage (cont.): (cont.): or Issuance of a Certificate of f. Prior to Combustible Construction Cond. 2.d. Prior to initiation Subdivision Map of combustible Certificates of Use and Occupancy During construction Timing whichever comes first Occupancy, Prior to the issuance of Use and Prior to MM 4.14- [13 (cont.) Condition, Mitigation, Public Benefit or Entitlement Provision SC 4.5-3 SC 4.5-2 (cont.) (cont.) EIR 589 EIR 589 EIR 589 Source 196 (EIR 589, MM 4.14-13) Column Cross Reference 531 609 197 529 Item No.

noitsailqqA sөтА	P A	PA	PA
Guidance for Compliance			
Form of Compliance	Verification of compliance with Water Quality Management Plan	See above	See above
Reviewing / Approving Authority (Advisory Agency in Parentheses)	County of Orenge Verification of Manager of compliance Building Compliance Building Compliance Building Compliance Compliance	See above	See above
Requirements or Entitlement Provisions	Compliance with Prior to the issuance of a certificate of use the WQMP: and cocupancy, the applicant shall demonstrate compliance with the WQMP in a manner meeting the satisfaction of the Manager, Inspection Services Division, including: Demonstrate that all structural Best Management Practices (BMPs) described in the project's WQMP have been implemented, constructed and installed in conformance with approved plans and specifications: Demonstrate that the applicant has complied with all non-structural BMPs described in the project's WQMP; Submit for review and approval an Operations and Maintenance (OSM) Plan for all structural BMPs for attachment to the WQMP;	Demonstrate that copies of the project's approved WQMP (with attached Q&M Plan) are available for each of the incoming occupants; Agree to pay for a Special Investigation from the County of Orange for a date (12) twelve months after the issuance of a Certificate of Use and Occupancy for the project to verify compliance with the approved WQMP and O&M Plan; and (County Standard Condition WQ03)	• Demonstrate that the applicant has agreed See above to and recorded one of the following: 1) the CQRR's (that must include the approved WQMP and O&M Plan) for the project Home Owner's Association. 2) a water quality implementation agreement that has the approved WQMP and O&M Plan of Own Plan attached; or 3) the final approved Water Quality Management Plan (WQMP) and Operations and Maintenance (O&M) Plan. (Operations and Maintenance (O&M) Plan.
Title	Compliance with the WOMP:	Water Quality Management Plan (cont.):	Water Quality Management Plan (cont.):
Keywords			
Subject	Compliance with the WQMP:	Water Quality Management Plan (cont.):	Water Quality Management Plan (cont.):
Timing	Prior to the issuance of a Certificate of Use and Occupancy	See above	See above
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.5-9	SC 4.5-9 (cont.)	SC 4.5-9 (cont.)
Source	EIR 589	EIR 589	EIR 589
Cross Reference Column			
ltem No.	539	539.1	539.2

Appendix C

	r	<u>د</u>	5	·
Area Application	Each PA	PA	PA	PA
Guidance for Compliance				
Form of Compliance	Verification of field testing in accordance with Title 24 Regulations to verify compliance with FSTC and FIIC standards or a copy of a previous test	Submission of evidence that County of Crange Dept. of Real Estate has been notified the project area is adjacent to a regional transportation corridor	Landscaping and irrigation plan certification from landscape architect	Approved irrigation management report
Reviewing / Approving Authority (Advisory Agency in Parentheses)	Gounty of Orenge Verification of Manager of field testing in Building accordance with Tifle 24 Services, with Tifle 24 Services, Perification to with FSTC and Division FIIC standard: or a copy of a previous test	County of Orenge Submission of Manager of evidence that Building County of Thespection or Amanager, OC has been Inspection notified the Division adjacent to a regional transportation corridor corridor	Gounty of Orange-Landscaping Planning 4 Services 8 From from Services 8 From from Director, OC Planning Services 9 Servic	Ceunty of Orange Approved Manager- Construction and-management Manager, Buiding report Inspection Services- Manager, OC Inspection Division
Requirements or Entitlement Provisions	Prior to the issuance of any certificates of use and occupancy, the applicant shall perform field testing in accordance with Title Z4 Regulations to verify compliance with FSTC and FIIC standards if determined necessary by the Manager, Building Inspection Services. In the event such test was previously performed, the applicant shall provide satisfactory evidence and a copy of the report to the Manager. Building Inspection Services, as a supplement to the previously required acoustical analysis report. (Countly Standard Condition N09)	Prior to the issuance of certificates of use Gounty of On and occupancy, the developer shall produce Manager of evidence to the Manager. Building B	b. Installation Certification: Prior to the issuance of first certificates of use and occupancy and the release of financial occupancy and the release of financial eccurity, if any, guaranteeing the landscape improvements, said improvements shall be instilled and shall be certified by a licensed landscape architect or licensed landscape contractor, as having been installed in accordance with the approved detailed plans. (County Standard Condition LA01b)	b. Installation Certification (cont): The applicant shall furnish said certification, including an irrigation management report for each landscape irrigation system, and any other required implementation report determined applicable, to the Manager, Construction, and the Manager, Building Inspection Services, prior to the issuance of anny certificates of use and occupancy. (County Standard Condition LA01b)
Title	Multi-Family Residential Development:	Transportation Corridor Notification:	Public Area Landscaping (cont.):	Public Area Landscaping (cont.):
Keywords				
Subject	Multi-Family Residential Development:	Transportation Corridor Notification:	Public Area Landscaping (cont.):	Public Area Landscaping (cont.):
Timing	Prior to the issuance of certificates of use and occupancy	Prior to the issuance of certificates of use and occupancy	Prior to the issuance of final certificates of use and occupancy and the release of financial security	Prior to the issuance of final certificates of use and occupancy and the release of financial security
Condition, Mitigation, Public Benefit or Entitlement Provision	SC 4.8-4	SC 4.8-7	SC 4.10-1 (cont.)	(cont.)
Source	EIR 589	EIR 589	EIR 589	EIR 589
Scorence Reference nmuloD	and the state of t			
Item No.	999	563	565	999

	£ .	ج	
noitsalpplication	Each PA	Each PA	
Guidance for Compliance			
Form of Compliance	Certification from landscape architect that landscaping and irrigation system in accordance with the approved plan	Approved irrigation management report for each landscape irrigation system	Provide the Manager, Manager, Building & Safety, with a clearance from OCFA indicating installation and thinning
Reviewing / Approving Authority (Advisory Agency in Parentheses)	County of Orange Director of Director of Development Services, Director, OC Planning	County of Orange Manager, Building- Inspection Services, Manager, OC Inspection Division	Director, DC, Planning
Requirements or Entitlement Provisions	b. Prior to the issuance of certificates of use County of Orange and occupancy, applicant shall install said Director of landscaping and inrigation system and shall <u>Planning & Planning & Director</u>, occupancy and ilcensed landscape architect or bevelepment licensed landscape contractor, certify that it Services, was installed in accordance with the <u>Director</u>, OC approved plan. (County Standard Condition Planning LA02b)	c. Prior to the issuance of any certificates of Gounty of Grenge Approved use and occupancy, the applicant shall including an installation certification, the applicant shall installation certification, the applicant shall said installation certification, the application installation report determined Manager, OC installation report determined Manager, OC installation happelicable, to the Manager, Building Inspection Services. (County Standard Division system Condition LA02b)	f) Prior to the issuance of any certificate of base and occupancy, the applicant shall provide the Manager, Building & Safety, with a clearance from OCFA indicating that: 1. Approved "X" Zone planting has been installed and approved irrigation has been installed and approved irrigation has been activated. 2. Approved tuel modification zone markers have been installed. 3. Accessways every 500 feet (cr as approved) have been installed. 4. Approved thinning of the "B" and "C". Zones and removal of plants from the OCFA Undesirable Plant List have been completed. 5. CC&Rs or other approved documents contain provisions for maintaining the fuel modification zones.
Title	Private Area It (cont.):	Private Area Candscaping to (cont.):	Requirements: P
Keywords			
Subject	Private Area Landscaping (cont.):	Private Area Landscaping (cont.):	Occupancy Requirements:
Timing	Prior to the issuance of certificates of use and occupancy	Prior to the issuance of certificates of use and occupancy	Prior to the susuance of any certificate of use and occupancy adjoining fuel modification areas
Condition, Mitigation, Public Benefit or Entitlement Provision	(cont.)	SC 4.10-2 (cont.)	Cond. 3.f.
Source	EIR 589	EIR 589	Fire Prog.
Cross Reference nmuloD			
Item No.	568	969	819

Area Application	Each	₹	PA PA	PA
Guidance for Compliance				
Form of Compliance	Approval of the	archaeologist's follow-up report	Verification of peayment of curatorial fee if an applicable fee program has been has been boadpied by the Board of Supervisor at the time of presentation	Approval of the paleontologist's follow-up report
Reviewing / Approving Authority (Advisory Agency in Parentheses)		Manager- Marbors, Beaches follow-up & Parke, HBP/Coastal and Historical Facilities OC Public Works/OC Planning*	County of Orenge Verification of Manager. Payment of Harbox, Beaches curation fee if & Parks. Pa	Ceunty of Grenge Approval of Manager. Manager. paleontholog paleontholog Aparke. HBP/Coastal and Halterrash Facilities CC Public Works/OC Planning*
Requirements or Entitlement Provisions	nd, the	applicant shall obtain approval of the Harbers, By Manager, archaeologist's follow-up report from the Harbers, By Manager, Harbors, Beaches & Parke & Parke HBP/Coastal and Historical Facilities. The HBP/Coastal and Historical Facilities. The HBP/Coastal and Historical Facilities. The Harbers are nanalysis of any artifacts found and the Facilities present repository of the artifacts. Applicant Oc Public shall prepare excavated material to the Works/OC point of identification. Applicant shall offer excavated finds for curatorial purposes to the County of Orange, or its designee, on a first refusal basis. (County Standard Condition AD4)	These actions, as well as final mitigation and disposition of the resources shall be subject to the approval of the Manager, HBP/Coastal and Historical Facilities. Applicant shall pay curatorial Facilities. Applicant shall pay curatorial fees if an applicable fee program has been adopted by the Board of Supervisor, and such fee program is in effect at the time of presentation of the materials to the County of Orange or its designee, all in a manner meeting the approval of the Manager, HBP/Coastal and Historical Facilities. (County Standard Condition A04)	Prior to the release of any grading bond, the Gounty of Orenge contractor shall submit the paleontologist's Manager. Follow up report for approval by the County Harbers, Beaches Manager, HBP/Coastal and Historical & Parks. Facilities. The report shall incluce the period of inspection, a catalogue and Historical Analysis of the fossils found, and the present repository of the fossils. The contractor shall prepare excavated material Works/OC to the point of identification. The contractor Planning's shall offer excavated finds for curadinal purposes to the County of Orange, or its designee, on a first-refusal basis. (County Standard Condition A07)
Title	Archaeology	Grading Observation and Salvage (cont.):	Archaeology Grading Observation and Salvage (cont.):	Paleontology Resource Surveillance (cont.):
Keywords				
Subject	Archaeology	Grading Observation and Salvage (cont.):	Archaeology Grading Observation and Salvage (cont.):	Paleontology Resource Surveillance (cont.):
Timing	Jing Bond Prior to the	release of the grading bond	Prior to the release of the grading bond	Prior to the release of the grading bond
Condition, Mitigation, Public Benefit or Entitlement Provision	g -	(cont.)	SC 4.11-1 (cont.)	SC 4.11-2 (cont.)
Source	Releas EIR 589		EIR 589	EIR 589
Cross Reference Column	i. Prior to F			
ltem No.	i. Pri 572		573	575

-	
- 2	Κ.
•	-
-	-
٠.	3
- 2	=
- 5	_
ē	•
٠,	υ
•	•
- 2	_
•	•
	-
-	•
•	
	-

noitsoilqqA sөтА	Each PA
Guidance for Compliance	
Form of Compliance	Verification of payment of payment of curatorial fee if an applicable fee program has been adopted by the Bach of Supervisor at the time of presentation
Reviewing / Approving Authority (Advisory Agency in Parentheses)	Geunty of Orange- Verification of Manager. Harbers, Beaches curatorial fee a 2-Parks an applicable HBP/Coestal and fee program Historical fee by Coephile Board of Works/OC Supervisor at Planning* the time of presentation
Requirements or Entitlement Provisions	These actions, as well as final mitigation of and disposition of the resources, shall be Manager— payment of subject to approval by the HBP/Coastal and Harbors—Beathes curatorial fee if Historical Facilities. The contractor shall be HBP/Coastal and Harbors—Beathes curatorial fee if an applicable pay curatorial fees if an applicable fee program is program has been adopted by the Board of Historical Facilities. The the mod presentation of the materials to the County Orange or its Planning* the time of approval of the County Manager. County Standard Condition A077 Planning Planning
Title	Paleontology Resource Surveillance (cont.):
Keywords	
Subject	Paleontology Resource Surveillance (cont.):
Timing	C 4.11-2 Prior to the (cont.) release of the grading bond
Condition, Mitigation, Public Benefit or Entitlement Provision	EIR 589 SC 4.11-2 Prior to the (cont.) release of the grading bon
Source	EIR 589
Cross Reference Column	
Item No.	576

ATTACHMENT 1



May 1, 2025

Bea Bea Jiménez Division Manager Land Development OC Public Works 601 North Ross Street Santa Ana, CA 92701

SUBJECT:

Application for "B" Vesting Tentative Tract Map 19326 within Rancho Mission Viejo (Ranch Plan) Planning Area 3, Subarea 3.5 for the MR16 Trumark project

Dear Ms. Jiménez,

PROPOSAL:

Rancho Mission Viejo requests Subdivision Committee approval of Vesting Tentative Tract Map 19326 within Rancho Mission Viejo (Ranch Plan) Planning Area 3, Subarea 3.5 for the MR16 project to allow 90 Planned Concept Duplex and Single Family Detached Dwellings on 48 numbered residential / park lots and 24 lettered lots for landscaped open space purposes.

ZONING:

Ranch Plan Planned Community (PC) – Subarea Plan 3.5 Planned Concept Detached Dwellings (PC Text Section III.A.2)

LOCATION:

The MR16 project site is located within the Ranch Plan Planned Community - Planning Area 3 (PA3), Subarea 3.5 and Vesting Tentative Tract Map 17935, Lots 40-43, and Lot CCC in unincorporated Orange County, California.

LANDOWNER/SUBDIVIDER:

The specific land ownership entity for the proposed project site is RMV PA3 Development LLC (referred to as Rancho Mission Viejo, or "RMV"). The site will eventually be owned by, and homes built by, a neighborhood builder company (Trumark).

BACKGROUND AND EXISTING CONDITIONS:

In November 2004, the County of Orange approved the Ranch Plan Planned Community, which encompasses approximately 22,815 acres located east of I-5, north and south of Ortega Highway, within the Fifth Supervisorial District. As approved, the Ranch Plan Planned Community encompasses 75 percent permanent open space, with development of 14,000 dwelling units and 5,200,000 square feet (SF) of non-residential uses allowed within the remaining 25 percent. It is regulated by the Ranch Plan PC Program Text which addresses the

unique characteristics of the property and a development plan for the transition to suburban/urban uses occurring over a 25- to 30-year period.

The Master Area Plan and Subarea Plans for Planning Area 3 were approved on October 27, 2022 including Subarea Plan 3.5 (PA22-0067) and again in October 2024 (PA24-0104). VTTM 17935 for Subarea Plan 3.5 was approved by the OC Subdivision Committee on October 16, 2024. Grading for Subarea 3.5 is approved and currently under construction.

PROPOSED PROJECT:

The applicant (RMV) requests approval of Vesting Tentative Tract Map 19326 to allow 90 Planned Concept Duplex and Single-Family Detached Dwellings on 48 numbered residential/park lots and 24 lettered lots for landscaped open space purposes, all within the 7.62 acre project site. Subsequent Site Development Permit, including model sales complex and construction level building applications will be submitted. The project will also include street and infrastructure improvements, landscaping, and minor precise grading.

The 48 numbered lots range in size from 2,331 square feet up to 12,183 square feet. The site has a net residential acreage of 5.72 acres (excluding streets, motorcourts, alleys and HOA slopes) for a net residential density of 15.73 dwelling units per acre.

SURROUNDING LAND USE:

Land uses immediately surrounding the project site include the following:

- Westerly: Chaquita Canyon Open Space
- Southerly: Subarea 3.5 future residential
- Easterly: Subarea 3.5 future residential
- Northerly: Subarea 3.5 future residential

REFERRAL FOR COMMENT AND PUBLIC NOTICE:

The applicant understands that the tentative map application submittal will be distributed for review and comment to County staff and consultants, including Land Development, OC Infrastructure Programs, Inspection Services, Building & Safety, OC Survey, and Orange County Fire Authority. We also understand that the VTTM must be approved by the OC Subdivision Committee at a Public Meeting with a public notice mailed to all property owners of record within 300 feet of the subject, and posted at the site, at the Orange County Hall of Administration, and at 601 N. Ross Street, as required by established public meeting posting procedures.

CONSISTENCY ANALYSIS:

The proposed SDP and VTTM are consistent with the Ranch Plan PC Program Text Use Regulations & Development Standards (PC Program Text, Section III), as described below:

- a. General Plan The OC General Plan Land Use Element designates Subarea 3.4 of Ranch Plan as "1B, Suburban Residential (0.5 to 18 du/ac)", per GPA 01-01. The proposed SDP and VTTM are consistent with the 1B "Suburban Residential designation.
- b. Zoning The proposed SDP and VTTM are consistent with the Ranch Plan Planned Community zoning, including all applicable requirements of the PC Program Text Use Regulations & Development Standards (PC Section III).
- c. State Subdivision Map Act and County of Orange Subdivision Code and Manual In Compliance.

- d. Area Plans The proposed SDP and VTTM are consistent with land uses and other details of PA3&4 Master Area Plan and Subarea Plan 3.5 (PA22-0067 & PA24-0104)
- e. CEQA The proposed SDP and VTTM are consistent with Final EIR 589, previously certified on November 8, 2004; Addendum 1.0 (PA060023) approved July 26, 2006; Addendum 1.1 (PA110003-06) approved February 24, 2011; the Planning Area 2 Addendum (PA130001-06) approved March 27, 2013; and Addendum 3.1 (PA140072-81) approved February 25, 2015.
- f. Alternative Development Standards All Alternative Development Standards incorporated into this project have been previously approved by the appropriate decision maker per the Ranch Plan Planned Community Program Text, General Regulation 25.
- g. Regulation Compliance Matrix Clearance of all applicable conditions of approval have been confirmed per the Ranch Plan Regulation Compliance Matrix.

Estimated Earthwork

The proposed estimated grading quantities for this map are substantially consistent with or less than the earthwork quantities described under previous approvals (i.e. Master Area Plan (PA3&4), Subarea Plan 3.5, VTTM 17935 and Subarea 3.5 Rough Grading Permit GRD24-0045 currently in process. The proposed grading on this map has been addressed per CEQA document FEIR 589, together with Addendum 3.1 (PA140072-81) approved February 25, 2015.

Drainage:

The subject property is in the Ranch Plan Planned Community Runoff Management Plan Area. No Master Plan of Drainage (MPD) facilities have been identified or approved within the site and no MPD fees are required.

Recreation and Open Space:

The proposed map is not required to provide any improvements or dedications associated with the County Master Plan of Regional Recreation Facilities; Master Plan of Regional Riding and Hiking Trails; Resources Element (Open Space Component); or OCTA Strategic Plan for Bikeways.

- Master Plan of Regional Recreation Facilities There are no regional park dedication requirements of the subject map.
- Master Plan of Regional Riding and Hiking Trails There are no riding and hiking trail requirements of the subject map.
- Master Plan of Local Parks (Local Park Code) The proposed map is required to provide park land in accordance with the Master Plan of Local Parks (Local Park Code). The Local Park Code requirement for the subject map VTTM 19326 is 0.54 net usable acres of park land based upon a proposal to build 90 dwelling units at a gross residential density of 11.81/ac (90 du x .006 ac/du). Said requirement can be satisfied by an allocation of parkland credit from Park Modification PM07-01, the Local Park Implementation Plan (LPIP) for the Ranch Plan P.C. originally approved March 14, 2007, 1st Amendment approved in June 2012, 2nd Amendment approved on July 16, 2014, 3rd Amendment approved November 7, 2019, and 4th Amendment approved December 6, 2023. Per the Ranch Plan LPIP, the total parkland acreage requirement for the entire Ranch Plan Planned Community is 94.0 acres, based on 14,000 approved dwelling units and the anticipated proportion of single-family and multi-family units. The Ranch Plan LPIP (PM07-01) indicates that far more acres of total community-wide parkland will be implemented in Planning Area 3&4 than would be required per County standards, based on the 7,500 dwelling units entitled by the PA3&4 Master Area Plan PA180030, per the parkland generation factor for each unit (greater than 6.5 du/ac requires 0.006 acres and less than 6.5 du/ac requires 0.008 acres).

- Resources Element Open Space Component There are no open space dedication requirements of the subject map.
- OCTA Strategic Plan for Bikeways There are no County-wide bikeways identified within the area of this map.

Public Services & Utilities

- Schools This property is within the boundaries of the Capistrano Unified School District.
 The developer is subject to the provisions of Assembly Bill AB 2926, or other mitigating
 measures designed to provide for school facilities and/or funding, such as community
 facilities districts. No school site is proposed for Subarea 3.5.
- Facilities Fees Programs This project area is included within the Ranch Plan Planned Community Development Facility Agreement area which phases development commensurate with public services and facilities.
- Water/Sewer This project is within the boundaries of the Santa Margarita Water
 District. The District stated in their "will-serve" letter dated ##/##/2025, that the District
 will be capable of providing water and sewage disposal service to this development.
- Water Quality Control This project will be required to operate in accordance with requirements prescribed by the California Regional Water Quality Control Board, San Diego Region.
- Fire Protection and Safety Existing and proposed fire protection services will be
 providing an adequate level of fire protection services to this development, per the
 TT19327 Fire Master Plan approved by OCFA ##/##/2025. Additionally, this property is
 within the area covered by the approved Ranch Plan Fire Protection Program, which
 includes all applicable conditions of approval and regulations.
- County Service Area (CSA) This property is within the boundaries of County Service Area No. 26.

Traffic/Circulation

- Scenic Highway Corridors There are no Scenic Highways applicable to this map
- Access/Highways/Streets/Roads Access to the site is Laster Lane. Internal tract access will be provided by internal private alleys and motor courts.
- Major Thoroughfare and Bridge Fee Program This project lies within the area of benefit
 of the Foothill/Eastern Transportation Corridor. The developer is required to pay
 Foothill/Eastern Major Thoroughfare and Bridge fees in accordance with the adopted
 program.
- Off-Site Fee Program The project lies within the area of benefit of the South County Roadway Improvement Road Fee Program (SCRIP). The developer is required to pay SCRIP fees in accordance with the adopted program.

Multiple Final Map Phasing

As indicated by Note 21 on this TT19326, the option of multiple final maps phasing has been requested as part of the approval of this Vesting Tentative Tract Map.

DEVIATIONS FROM STANDARDS OF DESIGN:

The developer may request deviations from County standard design criteria in accordance with Subdivision Code section 7-9-291. In the absence of any specifically approved deviation request, the County-approved standard design criteria will prevail. No deviations are requested with this map.

VTTM 19326 MR16 Letter of Application May 1, 2025 Page 5 of 5

ALTERNATIVE DEVELOPMENT STANDARDS:

As indicated by Note 29 on this TT19309, as allowed by General Regulation #25 of the Ranch Plan Planned Community Program Text, proposed Alternative Development Standards are intended to be incorporated into the development.

Upon review of this application our hope is that staff supports OC Subdivision Committee approval of the "B" tentative tract map. Please contact me with any questions, or if you or your staff need any further information.

Sincerely,

Richard Vuong Project Director, Planning and Entitlement Rancho Mission Viejo

ATTACHMENT 2

BOARD OF DIRECTORS

LAURA FREESE MARGARET NOVAK SAUNDRA F. JACOBS BETTY H. OLSON, PH.D FRANK URY

ROBERT S. GRANTHAM GENERAL MANAGER



Santa Margarita Water District

August 7, 2025

County of Orange OC Public Works OC Development Services 601 N. Ross Street Santa Ana, California 92703

Subject: Preliminary Water and Sewer Letter for Trumark Homes, VTTM 19326, Rancho Mission

Viejo, in Improvement District No. 5

Greetings:

This letter is in response to a request by Trumark Homes (Developer) for a preliminary water and sewer letter for the subject tract.

The Santa Margarita Water District (District) supplies all of its current customers with domestic water purchased from the Metropolitan Water District of Southern California (Metropolitan) through the Municipal Water District of Orange County (MWDOC), which acts as a wholesaler to its member agencies. It is anticipated the subject tract would also be supplied with available domestic water purchased from Metropolitan through MWDOC. Supplemental water for this development, if required, will be provided per the approved The Ranch Plan Planning Area 3 and 4 Water Supply Verification, dated October 2017. Subject to the Developer's successful completion of the in-tract water and recycled water and the District's construction of the off-site water and recycled water facilities, the District can and will provide domestic and recycled water service to each and every building parcel in the subject tract without exception.

Furthermore, and subject to the Developer's successful completion of the in-tract sewer facilities and the District's construction of off-site sewer facilities, the District can and will provide sewer service to each and every building lot within the subject tract without exception.

At this time, the Developer has not provided surety to guarantee the construction of the in-tract water, recycled water and sewer facilities. A final will-serve will be issued upon your request when (1) the Developer has guaranteed the construction of the in-tract facilities and (2) construction of the District's water and sewer facilities is assured.

Should you have any questions or desire additional information, please call Karla Houlihan at (949) 459-6581.

Sincerely,

SANTA MARGARITA WATER DISTRICT

Patricia Butler

Patricia A Butler Chief Engineer

S:\ENGINEERING\PRELIMINARY WILL SERVE\2025\Will Serve VTTM 19326.doc

ATTACHMENT 3

VICINITY MAP


VESTING TENTATIVE TRACT MAP 19326 PLANNING SUBAREA 3.5 - SUNFLOWER MR16

LEGAL DESCRIPTION

OF THE COUNTY OF ORANGE, STATE OF CALIFORNIA, AS SHOWN ON "A" TRACT 17935



NTERWEST CONSULTING GROUP



A-36A MODIFIED O" CURB ON PRIVATE STREETS

D-14 TWO FAMILY RESIDENCES (DUPLEXES)

G-9 ROLLED CURB ON PRIVATE STREETS

WITH THE BOARD'S APPLICABLE REQUIREMENTS.

MODEL WATER EFFICIENT LANDSCAPE ORDINANCE.

HIGH FIRE HAZARD SEVERITY ZONE.

B-9 MODIFIED COLOR OF CURB RAMP DETECTABLE WARNING SURFACE

D-8 PLANNED CONCEPT RESIDENTIAL LOTS GREATER THAN 3,000 S.F.

G-7 REDUCED LOCAL DEPRESSIONS ON PRIVATE STREETS

D-9 PLANNED CONCEPT DETACHED DWELLINGS PARKING (BEDROOM COUNT)

G-10 GRATED INLETS CATCH BASINS WITH ROLLED CURB ON PRIVATE STREETS

TIME FRAME EXCEEDS TEN YEARS, BASED ON GOVERNMENT CODE SECTION 66452.6.(a)(

THE CALIFORNIA BUILDING CODE AND PER THE ORANGE COUNTY HIGHWAY DESIGN MANUAL

PADS CAN BE GRADED AT 1% MINIMUM PER GEOTECHNICAL ENGINEER'S LETTER ON FILE AT

AND RELINQUISH VEHICULAR ACCESS RIGHTS TO ALL ARTERIAL HIGHWAYS TO THE COUNTY OF

ORANGE, EXCEPT FOR ACCESS LOCATIONS APPROVED BY THE COUNTY OF ORANGE, IN A

FOR THE PREPARATION OF WQMP FOR THE RANCH PLAN PLANNED COMMUNITY. THE

36. THE RESIDENTIAL DEVELOPMENT IS WITHIN A STATE RESPONSIBILITY AREA (SRA) - VERY

38. DEVELOPMENT OF TRACT 19326 WILL COMPLY WITH ALL APPLICABLE REQUIREMENTS OF THE

CALIFORNIA SOLAR PERMITTING GUIDEBOOK ADOPTED BY THE STATE OF CALIFORNIA WERE

37. ALL UNITS TO BE SPRINKLERED PER RANCH FIRE PROTECTION PROGRAM AND OCFA

39. IN THE DESIGN OF 13 THIS MAP, THE GUIDELINES AND REQUIREMENTS WITHIN THE

STATEMENT OF OWNERSHIP

COVERED BY TT 19326. AND AUTHORIZED TO EXECUTE AND DELIVER ALL DOCUMENTS THAT ARE NECESSARY AND APPROPRIATE FOR PROCESSING AND

INCLUDES, BUT IS NOT LIMITED TO THE EXECUTION AND DELIVERY OF SUCH APPLICATIONS, AGREEMENTS AND OTHER DOCUMENTS AS ARE REQUIRED BY

IMPLEMENTING THE PA3 DEVELOPMENT PROGRAM. SAID AUTHORIZATION

THE COUNTY OF ORANGE IN CONNECTION WITH THE PROCESSING AND

DEVELOPMENT OF PA3. BY: RANCHO MISSION VIEJO, LLC, A DELAWARE

LIMITED LIABILITY COMPANY, ITS AUTHORIZED AGENT AND MANAGER

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD AND WILL OPERATE IN ACCORDANCE

RANCHO MISSION VIEJO, LLC (DEVIATION TO COUNTY GRADING CODE AND MANUAL).

SECTION 105.1 (2.h) FOR SIDEWALKS THAT ARE LESS THAN 5 FEET IN WIDTH

AND RANCHO MISSION VIEJO DEVELOPMENT AGREEMENT 04-01 SECTIONS 1.2.13 AND

NOTES

7. ADJACENT LAND USE ZONING

- 1. EXISTING LAND USE: VACANT LAND. PREVIOUSLY MASS GRADED PER GRD22-0016 & ROUGH GRADED PER GRD24-0045 TO ALLOW FOR FUTURE DEVELOPMENT.
- PROPOSED LAND USE: PLANNED CONCEPT RESIDENTIAL 90 DWELLING UNITS. EXISTING ZONING: LOCATED WITHIN RANCH PLAN PLANNED COMMUNITY PLANNING AREA 3 AND SUBAREA PLAN PA 3.5. IS ZONED AS A DEVELOPMENT AREA BY THE RANCH PLAN PC
- 4. THE PLANNING AREA 3 MASTER AREA PLAN AND SUBAREA PLAN 3.5 (PA24-0181)
- 5. GRADING PLANS MAY BE PROCESSED CONCURRENTLY WITH A TENTATIVE TRACT MAP, PER A CONCURRENT PROCESSING REQUEST LETTER. PLAN CHECKING OF ROUGH GRADE PLANS OR PRECISE GRADE PLANS MAY PROCEED, BUT APPROVAL OF THE GRADING PLAN MUST FOLLOW
- 6. CALIFORNIA ENVIRONMENTAL QUALITY ACT (CEQA) IMPACTS HAVE BEEN ADDRESSED BY THE RANCH PLAN FINAL PROGRAM EIR 589 AND ADDENDUM 3.1.
- NORTH TR.19325 FUTURE RES. RANCH PLAN PLANNED COMMUNITY SOUTH SCARLET RD./TR.19327 FUTURE RES. RANCH PLAN PLANNED COMMUNITY
- EAST LAMKIN LN./TR.19322 FUTURE RES. RANCH PLAN PLANNED COMMUNITY WEST CANYON CREST/TR.19325 FUTURE RES. RANCH PLAN PLANNED COMMUNITY
- 8. SANITARY SEWER SERVICES PROVIDED BY: SANTA MARGARITA WATER DISTRICT. 9. DOMESTIC WATER SERVICE PROVIDED BY: SANTA MARGARITA WATER DISTRICT. 10. NON-DOMESTIC RECYCLED WATER SERVICE PROVIDED BY: SANTA MARGARITA WATER DISTRICT. 32. ALL PRIVATE COURTS SHALL HAVE A RECIPROCAL INGRESS/EGRESS EASEMENT, MINIMUM 30
- 11. ALL PROPOSED UTILITIES ARE TO BE UNDERGROUND WITH THE EXCEPTION OF ELECTRICAL FOOT WIDE FOR THE BENEFIT OF ALL LOTS IN TRACT NO. 19326. TRANSMISSION LINES GREATER THAN 66KV. PROPOSED UTILITY LOCATIONS SHOWN ON THE MAP ARE APPROXIMATE. ACTUAL LOCATIONS AND EASEMENT WIDTHS WILL BE REFLECTED ON
 - SOUTHERN CALIFORNIA GAS COMPANY
- CABLE TELEVISION: COX COMMUNICATIONS
- HOMEOWNER MAINTAINED SLOPES 12. PROJECT SITE IS WITHIN THE CAPISTRANO UNIFIED SCHOOL DISTRICT.
 - WITH THE COUNTY OF ORANGE FLOOD CONTROL DISTRICT STANDARDS AND THE "MASTER PLAN OF DRAINAGE" FOR TRACT NO. 17935 PREPARED BY HUNSAKERS & ASSOCIATES. 35. THIS PLAN IS LOCATED WITHIN AN AREA COVERED BY THE RANCH PLAN FIRE PROTECTION
 - 14. STREET IMPROVEMENTS SHOWN HEREON SHALL MEET THE REQUIREMENTS OF THE COUNTY OF ORANGE AND THE RANCH PLAN ALTERNATIVE DEVELOPMENT STANDARDS.
 - OTHERWISE NOTED.

 - STREETS ARE PUBLIC AND ON-SITE ALLEYS ARE PRIVATE. 19. THE APPLICANT REQUESTS THE OPTION OF RECORDING MULTIPLE FINAL MAPS FROM THIS
 - 20. LANDSCAPING WITHIN MEDIAN AREAS, STREET ISLANDS, AND PARKWAYS WILL BE MAINTAINED BY A MASTER MAINTENANCE CORPORATION ESTABLISHED FOR THE BENEFIT OF THE
 - OF THE CALIFORNIA GOVERNMENT CODE.
 - UTILITY AND TRAIL LOCATIONS AND EASEMENT WIDTHS WILL BE REFLECTED ON THE FINAL MAPS, OR BY SEPARATE EASEMENT DOCUMENTS SUBSEQUENT TO FINAL MAP RECORDATION. 23. STREET CENTERLINE RATES OF GRADE WILL BE BETWEEN 1% AND 10% UNLESS SHOWN
 - 24. THE SUBDIVIDED PROPERTY SHOWN HEREON IS CONSIDERED "CONTIGUOUS UNITS" OF LAND PURSUANT TO SECTION 66424 OF THE CALIFORNIA SUBDIVISION MAP ACT, AS AMENDED. 25. EASEMENTS FOR PUBLIC USE MAY BE CREATED ON THE FINAL MAPS OR BY SEPARATE INSTRUMENTS SUBSEQUENT TO FINAL MAP RECORDATION FOR PUBLIC USE OVER FACILITIES

EASEMENT NOTES

- 3 INDICATES AN EXISTING EASEMENT FOR WATER AND ACCESS PURPOSES DEDICATED PER FINAL MAP 17935 TO THE SANTA MARGARITA WATER
- INDICATES A PROPOSED RECIPROCAL PEDESTRIAN ACCESS EASEMENT FOR THE BENEFIT OF ALL LOTS IN TRACT NO. 19326.

SLOPE DESIGNATIONS:

- ALL MANUFACTURED SLOPES TO HAVE TERRACE AND DOWN DRAINS AS REQUIRED BY THE COUNTY OF ORANGE GRADING CODE REQUIREMENTS. BUT ARE NOT SHOWN HEREON FOR CLARITY.
- (A) MAINTAINED BY MASTER HOA
- (B) MAINTAINED BY HOMEOWNER

APPLICANT: RMV PA3 DEVELOPMENT, LLC 28811 ORTEGA HIGHWAY SAN JUAN CAPISTRANO, CA 92694 (949) 240-3363 - JBULLOCK@RANCHOMV.COM ATTN: JAY BULLOCK

PREPARED BY: HUNSAKER & ASSOCIATES RVINE, INC

157 Technology Drive • Irvine, CA 92618 • (949) 583-1010

VESTING TENTATIVE TRACT MAP 19326 RANCH PLAN - PLANNING SUBAREA 3.5 RMV PA3 DEVELOPMENT - MR16 NORTHWEST SIDE OF LAMKIN LANE AND SCARLET ROAD

SHEET **VTTM-1**

REVISION DESCRIPTION

 \circ A

MR37 - TTM19327

RESIDENTIAL (N.A.P.)

——

DAYLIGHT LINE PROPOSED RETAINING WALL EXISTING CONTOUR EXISTING STORM DRAIN

LEGEND

PER TR 17935

VTTM 17935

EXISTING SEWER

PROPOSED WATER PROPOSED SEWER EXISTING FIRE HYDRANT

PROJECT BOUNDARY

PROPOSED LOT LINE

PROPOSED CONTOUR LINE

PROPOSED FIRE HYDRANT → PAD ELEVATION

HOA MAINTAINED SLOPES

STORM FLOWS TRIBUTARY TO THE SITE SHALL BE INTERCEPTED AND CONVEYED AROUND THE SITE VIA THE STORM DRAIN SYSTEMS SHOWN HEREON. ALL STORM DRAINS SHOWN HEREON ARE PRELIMINARY. STORM DRAIN PLANS WILL BE PREPARED."

- 15. ALL SLOPES SHALL BE CONSTRUCTED AT A MAXIMUM SLOPE RATIO OF 2:1 UNLESS
- 16. GRADING FOR VESTING TENTATIVE TRACT MAP NO. 19326 MAY BE ACCOMPLISHED IN 17. BACKBONE AND OFFSITE FACILITIES FOR VESTING TENTATIVE TRACT NO. 19326 MAY BE
- PHASED AND COORDINATED WITH THE INITIAL GRADING AND DEVELOPMENT. 18. ACCESS TO THE SITE IS PROPOSED VIA SCARLET ROAD AND CANYON CREST AVENUE.
- VESTING TENTATIVE TRACT MAP PER SECTION 66456.1 OF THE STATE OF CALIFORNIA GOVERNMENT CODE (SUBDIVISION MAP ACT), AS AMENDED MARCH 1982.
- 21. THIS MAP IS AN APPLICATION FOR A DEVELOPMENT PERMIT PURSUANT TO SECTION 65943
- 22. PROPOSED UTILITIES, AND EASEMENTS, INCLUDING BUT NOT LIMITED TO PUBLIC UTILITIES, FIRE ACCESS, PRIVATE ACCESS, PRIVATE UTILITY AND ACCESS ARE APPROXIMATE. ACTUAL
- SUCH AS, BUT NOT LIMITED TO, WATER QUALITY ELEMENTS, NEIGHBORHOOD ELECTRICAL VEHICLE PATHS AND OTHER FACILITIES AS MAY BE DETERMINED. 26. ACCESS TO STORM DRAINS AND BASINS FOR MAINTENANCE PURPOSES SHALL BE PROVIDED
- TO THE COUNTY OF ORANGE OR OCFCD AS APPROPRIATE. 27. PER THE RANCH PLAN PLANNED COMMUNITY-WIDE ALTERNATIVE DEVELOPMENT STANDARDS (APPROVED MAY 22, 2024; SUBSEQUENT REVISIONS OR ADDITIONS MAY ALSO BE APPROVED), AND AS ALLOWED BY RANCH PLAN PC TEXT (GENERAL REGULATION 25) THE FOLLOWING ALTERNATIVE DEVELOPMENT STANDARDS (ADS) ARE PROPOSED AS PART OF THIS "A" TENTATIVE TRACT MAP, OR MAY BE PROPOSED AS PART OF SUBSEQUENT "B" TENTATIVE
- TRACT MAPS: A-11 CURB RETURNS AT EACH RESIDENTIAL DRIVEWAY

- INDICATES A PROPOSED EASEMENT FOR SEWER, WATER AND ACCESS PURPOSES DEDICATED PER FINAL MAP 19326 TO THE SANTA MARGARITA WATER DISTRICT.
- O INDICATES A PROPOSED RECIPROCAL ACCESS EASEMENT, MINIMUM 30 FOOT WIDE FOR THE BENEFIT OF ALL LOTS IN TRACT NO. 19326.

BENCHMARK

CONCRETE BRIDGE DECK. MONUMENT IS LOCATED IN THE NORTHEASTERLY CORNER OF ANTONIO PARKWAY AND ITS OVERCROSSING OF SAN JUAN CREEK.

OCS BM "AP-02-00" (NAVD88) ELEVATION: 238.11' FOUND 3-3/4" OCS ALUMINUM

BENCHMARK DISK STAMPED "AP-02-99". SET IN THE NORTHEASTERLY CORNER OF A

ENGINEERS STATEMENT I HEREBY STATE THAT THIS MAP WAS PREPARED UNDER MY SUPERVISION

AND THAT THE OWNER OF RECORD HAS KNOWLEDGE OF AND CONSENTS


MMohler@hunsaker.com


jwhaley@trumarkco.com PLANNING • ENGINEERING • SURVEYING

COUNTY OF ORANGE

Sep. 18, 2025


TYPICAL STREET SECTIONS & DETAILS





NOT TO SCALE

NOT TO SCALE



NOT TO SCALE

LETTERED LOT AREA SUMMARY

LETTERED LOT AREA SUMMARY

	LOT			
LOT NUMBER	SQ. FT.	ACRES	USE	
А	15,796	0.36	PRVT. STREET	
В	17,672	0.41	PRVT. STREET	
С	4,343	0.10	PRVT. STREET	
D	13,618	0.31	PRVT. STREET	
Е	1,682	0.04	PRVT. STREET	
F	8,106	0.19	PRVT. STREET	
G	2,822	0.06	PRVT. COURT	
Н	2,821	0.06	PRVT. COURT	
1	3,575	0.08	PRVT. COURT	
J	3,388	0.08	PRVT. COURT	
K	2,839	0.07	PRVT. COURT	
L	2,828	0.06	PRVT. COURT	
M	4,201	0.10	PRVT. COURT	
N	3,824	0.09	LANDSCAPE LOT	
0	5,538	0.13	LANDSCAPE LOT	
Р	5,067	0.12	LANDSCAPE LOT	
Q	831	0.02	LANDSCAPE LOT	
R	3,745	0.09	LANDSCAPE LOT	
S	1,028	0.02	SLOPE/LANDSCAPE	
T	946	0.02	SLOPE/LANDSCAPE	
U	1,240	0.03	SLOPE/LANDSCAPE	
V	782	0.02	SLOPE/LANDSCAPE	
W	2,022	0.05	SLOPE/LANDSCAPE	
Х	4,064	0.09	SLOPE/LANDSCAPE	
Υ	15,315	0.35	SLOPE/LANDSCAPE	
Z	8,111	0.19	SLOPE/LANDSCAPE	
	136,204	3.13		

NUMBERED LOT AREA SUMMARY

LOT NUMBER	LOTSIZE S.F.	LOTSIZE ACRES	LOT NUMBER	LOTSIZE S.F.	LOTSIZE ACRES
1	4,660	0.11	25	4,608	0.11
2	4,538	0.10	26	4,958	0.11
3	4,332	0.10	27	4,373	0.10
4	4,856	0.11	28	4,158	0.10
5	4,856	0.11	29	5,716	0.13
6	4,877	0.11	30	4,360	0.10
7	4,865	0.11	31	3,917	0.09
8	4,900	0.11	32	3,970	0.09
9	5,272	0.12	33	3,957	0.09
10	5,137	0.12	34	2,430	0.06
11	4,294	0.10	35	4,030	0.09
12	4,354	0.10	36	2,453	0.06
13	4,986	0.11	37	2,586	0.06
14	5,086	0.12	38	3,887	0.09
15	4,356	0.10	39	3,924	0.09
16	4,516	0.10	40	3,877	0.09
17	4,541	0.10	41	3,967	0.09
18	4,525	0.10	42	4,959	0.11
19	4,389	0.10	43	4,661	0.11
20	4,325	0.10	44	2,799	0.06
21	4,670	0.10	45	4,892	0.11
22	5,148	0.12	46	4,978	0.11
23	4,524	0.10	47	4,881	0.11
24	4,220	0.10	48	12,364	0.28
			TOTAL	218,932	5.02

LOT NUMBERS	TOTAL LOTS	ACRES	GROSS %	NET %	PROPOSED LAND USE	
Lots 1-33, 35, 38-43, 45-47	43	4.5	55.2%	82.4%	RESIDENTIAL DUPLEX	
Lots 34, 36, 37 & 44	4	0.24	3.0%	4.5%	RESIDENTIAL SFD	
Lot 48	1	0.28	3.4%	5.1%	TOT LOT	
A-M	13	1.92	23.6%	35.2%	PRIVATE STREET/COURT	
N-R	5	0.44	5.4%	8.0%	LANDSCAPE LOT	
S-Z	8	0.77	9.4%	14.1%	SLOPE/ LANDSCAPE	
PUBLIC STREETS		0.00	0.0%	0.0%	PUBLIC STREET R.O.W.	
TOTALS	74	8.15				
TOTAL DU	90					
GROSS DEVELOPMENT AREA		8.15	ALL LOTS 1-48, A-Z		11.04	DU/AC GROSS DENSITY
NET DEVELOPMENT AREA		5.46	LESS R.O.W,PVT.CT, SLOPE/LANDSCAPE		16.48	DU/AC NET DENSITY
NET RESIDENTIAL AREA		6.23	LESS R.O.W. AND PRIVATE COURTS		14.45	DU/AC NET RESIDENTIAL DENSITY

PROJECT SUMMARY NOTES

a. Gross Density: The number of dwelling units per gross acre (see definition of "gross acres") b. Net Density: The number of dwelling units per net acre (see definition of "net acres")

APPLICANT:

Gross Acres: The total acreage of the building site including, but not limited to, building site areas, streets, driveways, private recreation

areas, ordinance required local park land, open space area, easement areas and slopes.


Net Acres: The number of acres remaining after subtracting other land uses such as parks, other peripheral open space, schools and collector and arterial roads and after subtracting slopes greater than ten (10) feet in heigh from the total gross acreage.

Net Residential Area: The area of land remaining in a project, measured in acres or square feet, after deduction of the area contained in the public and private street (OC Planned Communities interprets this definition to include alleys and motor courts) and highway rightsor-way, schools, parks, flood control works, off-street parking areas, and any other use, easement or encumbrance which prevents the surface use of the property for a building site or construction of structures (i.e. lettered lots).

Usable Project Open Space: A minimum of ten percent (10%) of the net residential area of the project (subtracting out alleys, off-street parking areas and slope areas maintained by the master homeowners association (Rancho MMC), per OC Planned Communities definition of Net Residential Area) is to be reserved as convenient, accessible and usable open space (as defined in Section IV, "Definitions" This requirement may be reduced based on any of the criteria outlined in the Ranch Plan Planned Community Text.

REVIEWED FOR CODE COMPLIANCE HIS DOCUMENT WAS REVIEWED AND FOUND TO BE IN COMPLIANCE WITH THE APPLICABLE AGENCY CODE REQUIREMENTS. THE DOCUMENT IS RECOMMENDED FOR ACCEPTANCE SUBJECT TO APPROVAL BY THE ANGENCY. THIS RECOMMENDATION FOR ACCEPTANCE DOES NOT RELIEVE THE ENGINEER OF RECORD OF THEIR RESPONSIBILITY O PREPARE THE PLANS, SPECIFICATIONS, MAPS AND OTHER RECORD DOCUMENTS PERCURRENT CODES AND APPLICABLE STANDARDS OF PRACTICE.

INTERWEST CONSULTING GROUP



OWNER:

PREPARED BY: 450 NEWPORT CENTER DR, STE. 300 NEWPORT CENTER DR, STE. 300
NEWPORT BEACH, CA 92660
PH: (949) 999–9800
jwhaley@trumarkco.com
ATTN: JESSICA WHALEY

HUNSAKER & ASSOCIATES
I R V I N E , I N C .
PLANNING = ENGINEERING SURVEYING
157 Technology Drive Irvine, CA 92618 (949) 583-1010

VESTING TENTATIVE TRACT MAP 19326 RANCH PLAN - PLANNING SUBAREA 3.5 RMV PA3 DEVELOPMENT - MR16

COUNTY OF ORANGE


NORTHWEST SIDE OF LAMKIN LANE AND SCARLET ROAD


SHEET VTTM-2 DRAFTED BY: ______ Sep. 18, 2025


PLOTTED BY: Nhan Tran DATE: Sep. 18, 2025 05:22:53 PM FILE: F:\0839\Engineering\SA_PA3.5\SA_MR16\Exh_TTM\TTM-19326_SHT2.dwg

VICINITY MAP SITE ORIEGA HWY NOT TO SCALE

VTTM 19326 RANCH PLAN-PLANNING SUBAREA 3.5 SUNFLOWER MR16 DEVELOPMENT NON-BUILDABLE EASEMENT EXHIBIT







VICINITY MAP

STATE RESPONSE AREA

O COMPLETE SR:

O LOCAL RESPONSE AREA

PROJECT INFORMATION REQUIREMENTS

NUMBER OF UNITS OR HOMES IN DEVELOPMENT

OCCUPANCY TYPE (CHECK ALL THAT APPLY)

TRACT NUMBER: 19326

EMERGENCY ACCESS EASEMENTS

DETAILED SCOPE OF WORK

47 BUILDINGS WITH 90 TOTAL UNITS

SPECIAL CONDITIONS

O STATE LICENSED FACILITY

O METHANE MITIGATION

2 AND 3 STORIES

BUILDING HEIGHT

FIRE HAZARD SEVERITY ZONE

O AM&M O PENDING

NUMBER OF STORIES

LOT NUMBERS: 1-47

PROJECT LOCATION: RIENDA PLANNING AREA 3.5. RANCHO MISSION VIEJO

ORANGE COUNTY FIRE AUTHORITY



FIRE MASTER PLAN

ORANGE COUNTY FIRE AUTHORITY Reviewed by Planning & Development Call at least 72 hours in advance to schedule

OCFA STAMP

OCFA STANDARD FIRE MASTER PLAN NOTES

INSPECTIONS AT LEAST 48 HOURS IN ADVANCE. INSPECTIONS CANCELED AFTER 1 P.M. ON THE DAY BEFORE THE SCHEDULED DATE WILL BE SUBJECT TO A RE-INSPECTION FEE. CALL OCFA INSPECTION SCHEDULING AT (714) 573-6150

2.A LUMBER DROP INSPECTION SHALL BE PERFORMED PRIOR TO BRINGING COMBUSTIBLE MATERIALS (OR COMBUSTIBLE FIXTURES AND FINISHES FOR STRUCTURES OF NON-COMBUSTIBLE CONSTRUCTION). ALL-WEATHER ACCESS ROADS CAPABLE OF SUPPORTING 94,000 LBS., TOPPED WITH ASPHALT, CONCRETE, OR EQUIVALENT SHALL BE IN PLACE AND HYDRANTS OPERATIONAL AT

3.FOR PROJECTS WITH FUEL MODIFICATION, A VEGETATION CLEARANCE INSPECTION IS REQUIRED PRIOR TO A LUMBER DROP INSPECTION. USE THE FUEL MODIFICATION PLAN SERVICE REQUEST

ADDITIONAL INSPECTIONS THAT MAY BE NEEDED AND ANY FEES THAT MAY BE DUE.

ON-SITE AT TIME OF INSPECTION. 6.ACCESS ROADS AND HYDRANTS SHALL BE MAINTAINED AND REMAIN CLEAR OF OBSTRUCTIONS AT ALL TIMES DURING AND AFTER CONSTRUCTION, AREAS WHERE PARKING IS NOT PERMITTED SHALL BE CLEARLY IDENTIFIED AT ALL TIMES. OBSTRUCTION OF FIRE LANES AND HYDRANTS MAY RESULT IN

CANCELLATION OR SUSPENSION OF INSPECTIONS. 7. TEMPORARY FUEL TANKS OF 60 OR MORE GALLONS SHALL BE REVIEWED, INSPECTED, AND PERMITTED

8.THE PROJECT ADDRESS SHALL BE CLEARLY POSTED AND VISIBLE FROM THE PUBLIC ROAD DURING

9.ALL GATES IN CONSTRUCTION FENCING SHALL BE EQUIPPED WITH EITHER A KNOX OR BREAKAWAY

10. BUILDINGS OF FOUR OR MORE STORIES SHALL BE PROVIDED WITH STAIRS AND A STANDPIPE BEFORE REACHING 40 FEET IN HEIGHT.

GENERAL REQUIREMENTS

11. FIRE LANE WIDTHS SHALL BE MEASURED FROM TOP FACE OF THE CURB TO TOP FACE OF THE CURB FOR FIRE LANES WITH STANDARD CURBS AND GUTTERS AND FROM FLOW-LINE TO FLOW-LINE FOR FIRE LANES WITH MODIFIED CURB DESIGNS (E.G., ROLLED, RAMPED, ETC.). THE DEVELOPER IS RESPONSIBLE TO VERIFY THAT ALL APPROVED PUBLIC WORKS OR GRADING DEPARTMENT STREET IMPROVEMENT PLANS OR PRECISE GRADING PLANS CONFORM TO THE MINIMUM STREET WIDTH MEASUREMENTS PER THE APPROVED OCFA FIRE MASTER PLAN AND STANDARDS IDENTIFIED IN

12. PERMANENT, TEMPORARY, AND PHASED EMERGENCY ACCESS ROADS SHALL BE DESIGNED AND MAINTAINED TO SUPPORT AN IMPOSED LOAD OF 94,000 LBS. AND SURFACED TO PROVIDE ALL-WEATHER DRIVING CAPABILITIES.

B-09 AND SHALL BE INSTALLED AS DESCRIBED THEREIN. ADDITIONAL FIRE LANE MARKINGS MAY BE REQUIRED AT THE TIME OF INSPECTION DEPENDING ON FIELD CONDITIONS.

14. ALL FIRE HYDRANTS SHALL HAVE A "BLUE REFLECTIVE PAVEMENT MARKER" INDICATING THEIR LOCATION PER THE OCFA STANDARD. ON PRIVATE PROPERTY MARKERS ARE TO BE MAINTAINED IN GOOD CONDITION BY THE PROPERTY OWNER.

15. ADDRESS NUMBERS SHALL BE LOCATED AND BE OF A COLOR AND SIZE SO AS TO BE PLAINLY VISIBLE AND LEGIBLE FROM THE ROADWAY FROM WHICH THE BUILDING IS ADDRESSED IN ACCORDANCE WITH OCFA GUIDELINE B-09. WAYFINDING SIGNS, WHEN REQUIRED BY THE LOCAL AHJ, SHALL COMPLY WITH THE STANDARDS OF THAT AGENCY. WHEN WAYFINDING SIGNS ARE ALSO REQUIRED BY THE OCFA, THEY MAY BE DESIGNED TO LOCAL AHJ REQUIREMENTS PROVIDED THAT SUCH STANDARDS FACILITATE LOCATION OF STRUCTURES, SUITES, AND DWELLING UNITS BY

16. ACCESS GATES SHALL BE APPROVED PRIOR TO INSTALLATION AND SHALL BE IN COMPLIANCE WITH

17. APPROVED ACCESS WALKWAYS SHALL BE PROVIDED TO ALL REQUIRED OPENINGS AND ALL

18. VEGETATION SHALL BE SELECTED AND MAINTAINED IN SUCH A MANNER AS TO ALLOW IMMEDIATE ACCESS TO ALL HYDRANTS, VALVES, FIRE DEPARTMENT CONNECTIONS, PULL STATIONS EXTINGUISHERS, SPRINKLER RISERS, ALARM CONTROL PANELS, RESCUE WINDOWS, AND OTHER DEVICES OR AREAS USED FOR FIREFIGHTING PURPOSES. VEGETATION OR BUILDING FEATURES SHALL NOT OBSTRUCT ADDRESS NUMBERS OR INHIBIT THE FUNCTIONING OF ALARM BELLS. HORNS. OR STROBES.

19. DUMPSTERS AND TRASH CONTAINERS LARGER THAN 1.5 CUBIC YARDS SHALL NOT BE STORED IN BUILDINGS OR PLACED WITHIN 5 FEET OF COMBUSTIBLE WALLS, OPENINGS OR COMBUSTIBLE ROOF

INCLUDING BUT NOT LIMITED TO ROAD WIDTH, GRADE, SPEED HUMPS, TURNING RADII, GATES OR OTHER OBSTRUCTIONS, SHALL REQUIRE REVIEW, INSPECTION, AND APPROVAL BY THE OCFA.

21. APPROVAL OF THIS PLAN SHALL NOT BE CONSTRUED AS APPROVAL OF ANY INFORMATION OR PROJECT CONDITIONS OTHER THAN THOSE ITEMS AND REQUIREMENTS IDENTIFIED IN OCFA GUIDELINE B-09 AND RELATED PORTIONS OF THE 2022 CFC AND CBC. THIS PROJECT MAY BE SUBJECT TO ADDITIONAL REQUIREMENTS NOT STATED HEREIN UPON EXAMINATION OF ACTUAL SITE AND PROJECT CONDITIONS OR DISCLOSURE OF ADDITIONAL INFORMATION.

24. ONE OR MORE STRUCTURES SHOWN ON THIS PLAN ARE LOCATED ADJACENT TO A FUE

MODIFICATION AREA. CHANGES TO THE FUEL MODIFICATION ZONE LANDSCAPING, NEW STRUCTURES, OR ADDITION/ALTERATION TO EXISTING STRUCTURES REQUIRES REVIEW AND

25. PROJECTS LOCATED IN STATE RESPONSIBILITY AREAS AND IN LOCAL RESPONSIBILITY AREA VHFHSZ SHALL ALSO COMPLY WITH ALL APPLICABLE REQUIREMENTS FROM TITLE 14, DIV. 1.5, CH. 7, SUBCH. 2 "SRA FIRE SAFE REGULATIONS" AND GUIDELINE B-09A

APPLICABLE CODES

2022 CALIFORNIA FIRE CODE

2022 CALIFORNIA BUILDING ENERGY EFFICIENCY STANDARDS

LOCALLY ADOPTED ORDINANCES: RANCH PLAN FIRE PROTECTION PROGRAM

CONDITIONS OF APPROVAL: COUNTY OF ORANGE

OCFA GUIDELINES

DEFERRED SUBMITTALS

WORK WITHIN THE SCOPE OF SUCH DEFERRAL. DEFERRALS MUST BE REVIEWED AND ACCEPTED BY THE ARCHITECT OR ENGINEER OF RECORD PRIOR TO SUBMITTING FOR REVIEW WITH OCFA. PORTIONS OF THE PROJECT THAT ARE DEFERRED SHALL BE SUBJECT TO THE CODES, STANDARDS, AND OTHER APPLICABLE REQUIREMENTS IN FORCE ON THE DATE THAT THE DEFERRED PLAN IS SUBMITTED TO OCFA.

O ARCHITECTURAL PLAN

HIGH PILED COMBUSTIBLE STORAGE

CHEMICAL USE AND/OR STORAGE

O FUEL TANK (FOR GENERATOR, IF OVER 60 GALLONS)

BATTERY/ENERGY STORAGE SYSTEM

O UNDERGROUND SYSTEM SERVING SPRINKLERS, STANDPIPES. AND/OR PRIVATE HYDRANTS

SPRINKLER SYSTEM

STANDPIPE SYSTEM

O FIRE PUMP

HOOD AND DUCT EXTINGUISHING SYSTEM

ALARM SYSTEM

PREREQUISITE PLANS PLANNING APPLICATION SR: 546033 OVERALL FIRE MASTER PLAN SR: 24002015

O METHANE MITIGATION SR:

FUEL MODIFICATION PLAN SR: CONCEPTUAL FUEL MODIFICATION REVISION SR24001976

ORIGINAL PLAN SR: 25000997, 25003035

COPY OF ORIGINAL APPROVED PLAN REQUIRED TO BE SUBMITTED WITH ALL REVISED PLANS.

REVISION SCOPE OF WORK

REVISED PER THE CURRENT SITE PLAN, RESOLVED PARKING STALLS AND TURNING RADIUS

PROJECT DIRECTORY

BUSINESS NAME: HUNSAKER & ASSOCIATES IRVINE, INC ZIP: 92618

BUSINESS NAME: RMV PA3 DEVELOPMENT, LLC

TENANT

REVISION

CONFLICT. REMOVED NO PARKING SIGNS. REVISED WHERE CLOUDED.

ARCHITECT/ENGINEER

CONTACT NAME: ADDRESS: 3 HUGHES CITY: IRVINE STATE: CA PHONE: (949) 583-1010 EMAIL: PROPERTY OWNER/HOA

CONTACT NAME: ADDRESS: 28811 ORTEGA HIGHWAY CITY: SAN JUAN CAPISTRANO STATE: CA ZIP: 92675 PHONE: (949) 240-3363 EMAIL:

BUSINESS NAME: CONTACT NAME: ADDRESS:

CITY: STATE: PHONE: EMAIL:

SERVICE REQUEST NUMBER

SHEET

ŏ o o

OF 3

THIS BUILDING SHALL BE EQUIPPED WITH AN EMERGENCY RESPONDER DIGITAL RADIO SYSTEM PER THE

* INDICATES SFM REGULATED OCCUPANCY. OCFA PLAN SUBMITTAL REQUIRED # GROUP S MOTOR VEHICLE REPAIR AND AIRCRAFT REPAIR REQUIRE OCFA PLAN SUBMITTAL O GROUP A3* O GROUP A5* O GROUP A2* O GROUP A4* O GROUP B O GROUP E* O GROUP F1 O GROUP F2 O GROUP H1* ○ GROUP H2* O GROUP I1* O GROUP H3* O GROUP H4* O GROUP H5* O GROUP I2* O GROUP I4* O GROUP M O GROUP R1* O GROUP 13* O GROUP R2* O GROUP R2.2 ● GROUP R3 O GROUP R3.1 O GROUP R2.1 O GROUP R4* O GROUP S1# O GROUP S2# O GROUP U TYPE OF CONSTRUCTION O TYPE IIA O TYPE IIB O TYPE IIIA O TYPE IIIB O TYPE IV-C O TYPE IV-A O TYPE IV-B O TYPE VA TYPE VB MIXED USE AND OCCUPANCY (PER CBC 508 & 509) ACCESSORY OCCUPANCIES (CBC 508.2) (ACCESSORY OCCUPANCY < 10% OF STORY) O INCIDENTAL USES (CBC 509) NONSEPARATED OCCUPANCIES (CBC 508.3) O SEPARATED OCCUPANCIES (CBC 508.4) SPECIAL DETAILED REQUIREMENTS O HIGH RISE (CBC 403) O ATRIUM (CBC 404) OPEN PARKING GARAGE (CBC 406.5) O GROUP I2 (CBC 407) SMOKE COMPARTMENTS REFUGE AREAS O HAZARDOUS MATERIALS (CBC 414, CFC CHAPTER 50) MANDATORYVOLUNTARY O TENANT IMPROVEMENT O NFPA 13 NFPA 13D ○ NFPA 13R O FIRE PUMP O STANDPIPES O MANDATORY O VOLUNTARY

O TENANT IMPROVEMENT

O VOICE EVACUATION FIRE FLOW REQUIREMENT PER OCFA GUIDELINE B-09 ATTACHMENT 23

FLOW (IN GPM @ 20 PSI): 1,000 GPM WATER AVAILIBILITY *PROVIDE COPY OF OCFA WATER AVAILABILITY FORM COMPLETED BY WATER

DISTRICT ON FIRE MASTER PLAN* FLOW: PRESSURE:

 ON SITE FIRE HYDRANTS TOTAL NUMBER: 3

EMERGENCY RESPONDER RADIO COVERAGR (BDA)

REQUIREMENTS OF THE ORANGE COUNTY SHERIFF'S DEPARTMENT-COMMUNICATIONS & TECHNOLOGY DIVISION. FOR THE INITIAL SUBMITTAL, OCSD/COMM REQUIRES THE ERRCS/BDA/DAS SYSTEM DESIGNER TO PROVIDE THE FOLLOWING FOR PRE-EVALUATION: A. PROJECT NAME. B. SITE ADDRESS. C. PROJECT DESCRIPTION. D. CONTRACTOR CONTACT INFORMATION. E. BDA MODEL (S/N IF AVAILABLE). F. PROPOSED MODE OF OPERATION (CLASS A/B). G. PROPOSED PROJECT TIMELINE. THIS INFORMATION IS TO BE SUBMITTED BY THE DESIGNER VIA EMAIL TO ERRCS@OCSD.ORG AND BDACERT@OCFA.ORG. CFC 510

DURATION: 1 HOUR

5.AN ORIGINAL APPROVED, SIGNED, WET-STAMPED OCFA FIRE MASTER PLAN SHALL BE AVAILABLE

BY THE OCFA PRIOR TO USE.

OCFA GUIDELINE B-09 FOR ALL PORTIONS OF THE FIRE ACCESS ROADS.

FIRE LANE SIGNS AND RED CURBS SHALL MEET THE SPECIFICATIONS SHOWN IN OCFA GUIDELINE

EMERGENCY PERSONNEL

CHAPTER 5 OF THE CFC AND OCFA GUIDELINES.

EAVE LINES UNLESS PROTECTED BY AN APPROVED SPRINKLER SYSTEM.

20. ANY FUTURE MODIFICATION TO THE APPROVED FIRE MASTER PLAN OR APPROVED SITE PLAN,

O MANUAL O ELECTRIC

1. A REMOTE OPENING DEVICE IS REQUIRED. THE REMOTE GATE OPENING DEVICE THAT WILL BE INSTALLED IS

CLICK2ENTER* (SINGLE-PULSE MODE WITH 1.5 SECOND TRANSMISSION WINDOW) FIRE STROBE ACCESS PRODUCTS, INC.

2. IN THE EVENT OF LOSS OF NORMAL POWER TO THE GATE OPERATING MECHANISM, IT SHALL BE AUTOMATICALLY TRANSFERRED TO A FAIL-SAFE MODE ALLOWING THE GATE TO BE PUSHED OPEN BY A SINGLE FIREFIGHTER WITHOUT ANY OTHER ACTIONS, KNOWLEDGE, OR MANIPULATION OF THE OPERATING MECHANISM BEING A BATTERY MAY ONLY BE USED IN PLACE OF FAIL-SAFE MANUAL OPERATION WHEN THE GATE OPERATOR

HAS A FAIL-OPEN MODE THAT WILL AUTOMATICALLY, IMMEDIATELY, AND COMPLETELY OPEN THE GATE

AND KEEP IT OPEN UPON REACHING A LOW POWER THRESHOLD. REGARDLESS OF THE PRESENCE OF SHOULD THE GATE BE TOO LARGE OR HEAVY FOR A SINGLE FIREFIGHTER TO OPEN MANUALLY, A SECONDARY SOURCE OF RELIABLE POWER BY MEANS OF AN EMERGENCY GENERATOR OR A CAPACITOR WITH ENOUGH RESERVE TO AUTOMATICALLY, IMMEDIATELY, AND COMPLETELY OPEN THE GATE UPON

LOSS OF PRIMARY POWER SHALL BE PROVIDED FOR FAIL-OPEN OPERATION. IN ADDITION TO THE REMOTE OPERATOR, THE GATE CONTROL SHALL BE OPERABLE BY A KNOX EMERGENC OVERRIDE KEY SWITCH EQUIPPED WITH A DUST COVER. UPON ACTIVATION OF THE KEY SWITCH, THE GATE SHALL OPEN AND REMAIN OPEN UNTIL RETURNED TO NORMAL OPERATION BY MEANS OF THE KEY SWITCH. WHERE A GATE CONSISTS OF TWO LEAVES, THE KEY SWITCH SHALL OPEN BOTH SIMULTANEOUSLY IF OPERATION OF A SINGLE LEAF ON THE INGRESS SIDE DOES NOT PROVIDE FOR THE WIDTH, TURNING RADII, OR SETBACKS

NECESSARY FOR FIRE APPARATUS TO NAVIGATE THE VEHICLE ENTRY POINT. 4. THE KEY SWITCH SHALL BE PLACED BETWEEN 42" AND 48" ABOVE THE ROADWAY SURFACE AT THE RIGHT SIDE OF THE ACCESS GATE WITHIN TWO FEET OF THE EDGE OF THE ROADWAY. IN IRVINE, THE SWITCH SHALL BE ON THE LEFT SIDE IN ACCORDANCE WITH IRVINE'S UNIFORM SECURITY ORDINANCE.

THE KEY SWITCH SHALL BE READILY VISIBLE AND UNOBSTRUCTED FROM THE FIRE LANE LEADING TO THE GATE. 6. THE KEY SWITCH SHALL BE LABELED WITH A PERMANENT RED SIGN WITH NOT LESS THAN 1/2" CONTRASTING LETTERS READING "FIRE DEPT" OR WITH A "KNOX" DECAL.

STAKEHOLDERS

BUILDING DEPARTMENT: COUNTY OF ORANGE PLANNING DEPARTMENT: COUNTY OF ORANGE PUBLIC WORKS DEPARTMENT: COUNTY OF ORANGE

WATER DISTRICT: SANTA MARGARITA WATER DISTRICT

