

Tankless Water Heater Submittal Requirements

Provide copies of the following documents with your submittal:

	Yes	No
1. A plot plan of the site.	<input type="checkbox"/>	<input type="checkbox"/>
2. A schematic (floor plan) of building and water heater location.	<input type="checkbox"/>	<input type="checkbox"/>
3. A schematic (line) drawing of existing gas lines in building or new gas line from meter to unit.	<input type="checkbox"/>	<input type="checkbox"/>
4. Calculations to determine total developed length, BTU demand for each fixture and to determine new BTU rating of the structure.	<input type="checkbox"/>	<input type="checkbox"/>
5. New location of tankless water heater.	<input type="checkbox"/>	<input type="checkbox"/>
6. Size of gas line connection to tankless water heater.	<input type="checkbox"/>	<input type="checkbox"/>
7. Tankless water heater in attic requires drain pan below unit with min. 3/4" drain to exterior of building.	<input type="checkbox"/>	<input type="checkbox"/>
8. Provide high-low combustion air (Upper and lower 12 inches of compartments).	<input type="checkbox"/>	<input type="checkbox"/>
9. Tankless water heaters must be installed with listed manufacturers vent.	<input type="checkbox"/>	<input type="checkbox"/>

Applicant

Date